

Multicenter Study of Cryotherapy for Retinopathy of Prematurity (CRYO-ROP) Publications

Bartholomew PA, Chao J, Evans JL, Hammel AM, Trueb AL, Verness JL, Dobson V, Quinn GE. Acceptance/Use of the Teller acuity card procedure in the clinic. *Am Orthoptic J* 1996;46:99-105.

Bremer L, Fellows RR, Palmer EA, Baker JD, Hardy RJ, Tung B, Rogers GL. Strabismus in premature infants in the first year of life. *Arch Ophthalmol* 1998; 116:329-333

Cohen KW, Byrne SM. The role of the nurse in assisting with eye examinations on premature infants. *Neonatal Network* 1989;8:31-35.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity: Natural history ROP: Ocular outcome at 5 1/2 years in premature infants with birth weights less than 1251g. *Arch Ophthalmol* 2002;120:595-599.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Contrast sensitivity in eyes with threshold ROP from the CRYO-ROP trial. *Arch Ophthalmol* 2001;119:1129-1133.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Effect of ablative cryotherapy for threshold retinopathy of prematurity: results of Goldmann perimetry at age 10 years. *Arch Ophthalmol* 2001;119:1120-1125.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Ophthalmological outcomes at 10 years. *Arch Ophthalmol* 2001;119:1110-1118.

Cryotherapy for Retinopathy of Prematurity Cooperative Group: Multicenter trial of cryotherapy for retinopathy of prematurity: Snellen acuity and structural outcome at 5½ years. *Arch Ophthalmol* 1996;114:417-424.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. The natural ocular outcome of premature birth and retinopathy: status at one year. *Arch Ophthalmol* 1994;112:903-912.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity: 3½-year outcome--structure and function. *Arch Ophthalmol* 1993;111:339-344.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity: three-month outcome. *Arch Ophthalmol* 1990;108:195-204.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity: one-year outcome--structure and function. *Arch Ophthalmol* 1990;108:1408-1416.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity: preliminary results. *Arch Ophthalmol* 1988;106:471-479.

Cryotherapy for Retinopathy of Prematurity Cooperative Group. Multicenter trial of cryotherapy for retinopathy of prematurity: preliminary results. *Pediatrics* 1988;81:697-706.

Dobson V, Quinn GE, Siatkowski RM, Baker JD, Hardy RJ, Reynolds JD, Trese MT, Tung B, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Agreement between grating acuity at age 1 year and Snellen acuity at age 5.5 years in the preterm child. *Invest Ophthalmol Vis Sci* 1999;40:496-503

Dobson V, Quinn GE, Abramov I, Hardy RJ, Tung B, Siatkowski RM, Phelps DL, for the Cryotherapy for Retinopathy of Prematurity Group. Color vision measured with standard pseudoisochromatic plates at 5½ years in eyes of children from the CRYO-ROP study. *Inv Ophthalmol Vis Sci* 1996;37:2467-2474.

Dobson V, Quinn GE, Tung B, Palmer EA, Reynolds JD, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Comparison of recognition and grating acuities in very low birth weight children with and without retinal residua of retinopathy of prematurity (ROP). *Invest Ophthalmol Vis Sci* 1995;36:692-702.

Dobson V, Quinn GE, Saunders RA, Spencer R, Davis BR, Risser J, Palmer EA, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Grating visual acuity in eyes with retinal residua of retinopathy of prematurity (ROP). *Arch Ophthalmol* 1995;113:1172-1177.

Dobson V, Quinn GE, Summers CG, Saunders RA, Phelps DL, Tung B, Palmer EA. Effect of acute-phase retinopathy of prematurity on grating acuity development in the very low birth weight infant. *Invest Ophthalmol Vis Sci* 1994;35:4236-4244.

Dobson V, Quinn GE, Biglan AW, Tung B, Flynn JT, Palmer EA. Acuity card assessment of visual function in the cryotherapy for retinopathy of prematurity trial. *Invest Ophthalmol Vis Sci* 1990;31:1702-1708.

Evans MS, Wallace PR, Palmer EA. Fundus photography in infants. *J Ophthalm Photography* 1993;15:38-9.

Gilbert WS, Quinn GE, Dobson V, Reynolds J, Hardy RJ, Palmer EA, for the CRYO-ROP Cooperative Group. Partial retinal detachment at 3 months after threshold retinopathy of prematurity: Long term structural and functional outcome. *Arch Ophthalmol* 1996;114:1085-1091.

Gilbert WS, Dobson V, Quinn GE, Reynolds J, Tung B, Flynn JT. The correlation of visual function with posterior retinal structure in severe retinopathy of prematurity. *Arch Ophthalmol* 1992;110:625-631.

Hardy RH, Palmer EA, Dobson D, Summers CG, Phelps DL, Quinn GE, Good WV, Tung B, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Risk analysis of Prethreshold Retinopathy of Prematurity. *Arch Ophthalmol* 2003;121:1697-1701.

Hardy RJ, Palmer EA, Schaffer DB, Phelps DL, Davis BR, Cooper CJ, for the Multicenter Trial of Cryotherapy for Retinopathy of Prematurity Cooperative Group. Outcome-based management of retinopathy of prematurity. *JAAPOS* 1997;1:46-54.

Hardy RJ, Davis BR, Palmer EA, Tung B. Statistical considerations in the early termination of the multicenter trial of cryotherapy for retinopathy of prematurity. *Control Clin Trials* 1991;12:293-303.

Harvey ME, Dobson V, Quinn GE, Tung B, Hardy RJ. Interobserver agreement for grating acuity and letter acuity assessment in 1- to 5.5-year-olds with severe retinopathy of prematurity. *Inv Ophthalmol Vis Sci* 1999;40:1565-1576.

Kivlin JD, Biglan AW, Gordon RA, Dobson V, Hardy RA, Palmer EA, Tung B, Gilbert W, Spencer R, Cheng KP, Buckley E, for the Cryotherapy for Retinopathy of Prematurity (CRYO-ROP) Cooperative Group. Early retinal vessel development and iris vessel dilatation as factors in retinopathy of prematurity. *Arch Ophthalmol* 1996;114:150-154.

Msall ME, Phelps DP, Hardy RJ, Dobson V, Quinn GE, Summers CG, Tremont MR, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Educational and social competencies at 8 years in children with threshold ROP in the CRYO-ROP multicenter study. *Pediatrics* 2004;113:XXX-XXX.

Msall ME, Phelps DL, DiGaudio KM, Dobson V, Tung B, McClead RE, Quinn GE, Reynolds JD, Hardy RJ, Palmer EA. Severity of neonatal retinopathy of prematurity (ROP) is predictive of neurodevelopmental functional outcome at age 5.5 years. *Pediatrics* 2000;106:998-1005.

Palmer EA, Flynn JT, Hardy RJ, Phelps DL, Phillips CL, Schaffer DB, Tung B, the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Incidence and early course of retinopathy of prematurity. *Ophthalmology* 1991;98:1628-1640.

Palmer EA, Hardy RJ, Mowery R, Davis BR, Tung B, Phelps DL, Schaffer DB, Flynn JT. Operational aspects of early termination of the multicenter trial of cryotherapy for retinopathy of prematurity. *Control Clin Trials* 1991;12:277-292.

Phelps DL, Brown DR, Tung B, Cassady G, McClead RE, Purohit DM, Palmer EA. 28-day survival rates of 6676 neonates with birth weights of 1250 grams or less. *Pediatrics* 1991;87:7-17.

Phelps DL, Phelps CE. Cryotherapy in infants with retinopathy of prematurity: a decision model for treating one or both eyes. *JAMA* 1989;261:1751-1756.

Quinn GE, Dobson V, Siatkowski RM, Hardy RJ, Kivlin J, Palmer EA, Phelps DL, Repka MX, Summers CG, Tung B, Chan W, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Does cryotherapy affect refractive error? Results from treated versus control eyes in the cryotherapy for retinopathy of prematurity trial. *Ophthalmology* 2001;108:343-347.

Quinn GE, Dobson V, Kivlin J, Kaufman LM, Repka MX, Reynolds JD, Gordon RA, Hardy RJ, Tung B, Stone RA, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Prevalence of myopia between 3 months and 5½ years in preterm infants with and without retinopathy of prematurity. *Ophthalmology* 1998;105:1292-1300.

Quinn GE, Dobson V, Hardy RJ, Tung B, Phelps DL, Palmer EA, for the CRYO-ROP Cooperative Group. Visual fields measured with double-arc perimetry in eyes with threshold retinopathy of prematurity (ROP) from the CRYO-ROP trial. *Ophthalmology* 1996;103:1432-1437.

Quinn GE, Dobson V, Barr CC, Davis BR, Palmer EA, Robertson J, Summers CG, Trese MT, Tung B, on behalf of the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Visual acuity of eyes after vitrectomy for ROP: Follow-up at 5½ years. *Ophthalmology* 1996;103:595-600.

Quinn GE, Dobson V, Biglan A, Evans J, Plotsky D, Hardy RJ, for the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Correlation of retinopathy of prematurity in fellow eyes in the CRYO-ROP study. *Arch Ophthalmol* 1995;113:469-473.

Quinn GE, Dobson V, Repka MX, Reynolds J, Kivlin J, Davis B, Buckley E, Flynn JT, Palmer EA. Development of myopia in infants with birth weights less than 1251 grams. *Ophthalmology* 1992;99:329-340.

Quinn GE, Dobson V, Barr CC, Davis BR, Flynn JT, Palmer EA, Robertson J, Trese MT. Visual acuity in infants after vitrectomy for severe retinopathy of prematurity. [Published erratum appears in *Ophthalmology* 1991;98:1005]. *Ophthalmology* 1991;98:5-13.

Reynolds JD, Dobson V, Quinn GE, Fielder AR, Palmer EA, Saunders RA, Hardy RJ, Phelps DL, Baker JD, Trese MT, Schaffer DB, Tung B for the CRYO-ROP and LIGHT-ROP Cooperative Groups. Evidence-based screening criteria for retinopathy of prematurity: natural history data from the CRYO-ROP and LIGHT-ROP studies. *Arch Ophthalmol* 2002;120:1470-1476.

Reynolds J, Dobson V, Flynn JT, Gilbert WS, Quinn GE, Tung B, Robertson J, Flynn JT for the Cryotherapy for Retinopathy of Prematurity Group. Prediction of visual function in eyes with mild to moderate posterior pole residua of Retinopathy of Prematurity. *Arch Ophthalmol* 1993;111:1050-1056.

Repka MX, Palmer EA, Tung B, on Behalf of the Cryotherapy for Retinopathy of Prematurity Cooperative Group. Involution of retinopathy of prematurity. *Arch Ophthalmol* 2000;118:645-649.

Repka MX, Summers CG, Palmer EA, Dobson V, Tung B, Davis B, on behalf of the Cryotherapy for Retinopathy of Prematurity Cooperative Group. The incidence of ophthalmological interventions in children with birth weights less than 1251 grams: Results through 5½ years of age. *Ophthalmology* 1998;105:1621-1627.

Repka MX, Hardy RJ, Phelps DL, Summers CG. Surfactant prophylaxis and retinopathy of prematurity. *Arch Ophthalmol* 1993;111:618-620.

Saunders RA, Donahue ML, Christmann LM, Pakalnis AV, Tung B, Hardy RJ, Phelps DL. Racial variation in retinopathy of prematurity. *Arch Ophthalmol* 1997;115:604-608.

Schaffer DB, Palmer EA, Plotsky DF, Metz HS, Flynn JT, Tung B, Hardy RJ, on behalf of The Cryotherapy for Retinopathy of Prematurity Cooperative Group. Prognostic factors in the natural course of retinopathy of prematurity. *Ophthalmology* 1993;100:230-236.

Summers GC, Phelps DL, Tung B, Palmer EA. Ocular cosmesis in retinopathy of prematurity. *Arch Ophthalmol* 1992;110:1092-1097.

Trainor S, White GL, Kivlin JD, These SM, Trunnell E. Follow-up retrospective study of compliance with a standard of care for retinopathy of prematurity in one neonatal intensive care unit. *J Ped Ophthalmol Strabismus* 1989;26:285-287.

Trainor S, White GL, Trunnell E, Kivlin J. Compliance with a standard of care for retinopathy of prematurity in one neonatal intensive care unit. *J Ped Ophthalmol Strabismus* 1988;25:237-239.

Trueb L, Evans J, Hammel A, Bartholomew P, Dobson D. Assessing visual acuity of visually impaired children using the Teller acuity card procedure. *Am Orthopt J* 1992;42:149-154.

Watzke RC, Robertson JE, Palmer EA, Wallace PR, Evans MS, Delaney Soldevilla JE.
Photographic grading in the retinopathy of prematurity trial. *Arch Ophthalmol*
1990;108:950-955.