

## Please circle the answer that best responds to the statement.

1. The Human Papillomavirus (HPV) is the least common sexually transmitted infection.
☐ True ☐ False
2. HPV only infects women.
☐ True ☐ False
3. Most people will be infected with HPV at some point in their lives.
☐ True ☐ False
4. In most cases, HPV goes away on its own and does not cause any health problems.
☐ True ☐ False
5. Some types of HPV can cause cervical cancer, anal cancer, and oropharyngeal cancer (mouth and throat cancer
☐ True ☐ False
6. Some types of HPV can cause genital warts.
☐ True ☐ False
7. Someone with HPV can only infect another person with HPV if they have signs or symptoms.
☐ True ☐ False
8. There is a vaccine available to protect against certain types of HPV infections.
☐ True ☐ False
9. The HPV vaccine contains the human papillomavirus.
☐ True ☐ False
10. Only women can get vaccinated against HPV
☐ True ☐ False
11. People aged 9 through 26 years can be vaccinated against HPV.
☐ True ☐ False



enital warts.
☐ True ☐ False
13. The HPV vaccine works well and is safe.
☐ True ☐ False
14. HPV vaccination is recommended for preteen girls and boys at age 11 or 12 years.
☐ True ☐ False
15. Unvaccinated adolescents who are already sexually active cannot be vaccinated.
☐ True ☐ False
16. Adolescents who are vaccinated before they turn 15 will need 3 doses of the HPV vaccine.
☐ True ☐ False
17. The HPV vaccine can be given at the same time as other adolescent vaccines.
☐ True ☐ False
18. The Texas Vaccines for Children program offers the HPV vaccine at no or low cost for children up to 18 years of ag
☐ True ☐ False









## **HPV KNOWLEDGE QUIZ: Answer Key**

- 1. The Human Papillomavirus (HPV) is the least common sexually transmitted infection. False
- 2. HPV only infects women. False
- 3. Most people will be infected with HPV at some point in their lives. True
- 4. In most cases, HPV goes away on its own and does not cause any health problems. True
- 5. Some types of HPV can cause cervical cancer, anal cancer, and oropharyngeal cancer (mouth and throat cancer). True
- 6. Some types of HPV can cause genital warts. True
- 7. Someone with HPV can only infect another person with HPV if they have signs or symptoms. False
- 8. There is a vaccine available to protect against certain types of HPV infections. True
- 9. The HPV vaccine contains the human papillomavirus. False
- 10. Only women can get vaccinated against HPV. False
- 11. People aged 9 through 26 years can be vaccinated against HPV. True
- 12. The HPV vaccine offers protection against anal, rectal, and oropharyngeal cancers, as well as protection against genital warts. **True**
- 13. The HPV vaccine works well and is safe. True
- 14. HPV vaccination is recommended for preteen girls and boys at age 11 or 12 years. True
- 15. Unvaccinated adolescents who are already sexually active cannot be vaccinated. False
- 16. Adolescents who are vaccinated before they turn 15 will need 3 doses of the HPV vaccine. False
- 17. The HPV vaccine can be given at the same time as other adolescent vaccines. True
- 18. The Texas Vaccines for Children program offers the HPV vaccine at no or low cost for children up to 18 years of age. **True**





The For Our Children (Por Nuestros Hijos) program was developed by the University of Texas Health Science Center at Houston with funding from the Cancer Prevention and Research Institute of Texas (CPRIT)

