
Source: School Physical Activity and Nutrition (SPAN) Survey 2015-2016 *funded by DSHS Title V Maternal and Child Health Block Grant*

Texas Public School Student Demographics



Texas Health Service Regions



	2nd	4th	8th	11th
	ZHU	401	otti	11111
BMI Categories (as defined by CDC Growth Charts)				
Percent with normal weight	63.5%	55.9%	59.3%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	14.2%	17.4%	16.5%	19.5%
Percent with obesity (BMI at or above 95th percentile)	22.3%	26.7%	24.2%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	8.2%	8.8%	9.0%	6.7%
Physical Activity Behavior				
Days per week of at least 60 min physical activity	3.9	2.6	4.3	4.0
Days per week of at least 20 min vigorous physical activity	-	-	4.1	3.8
Days per week of at least 30 min outdoor play	3.9	2.3	-	-
Percent meeting physical activity guidelines	23%	9%	24%	21%
Sedentary Behavior				
Hours per day playing video games	0.7	1.5	1.4	1.1
Hours per day watching TV or movies	1.7	0.9	2.2	2.0
Dietary Behavior (number of times yesterday)				
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.2	3.2	2.8	2.7
Drank sodas or sweet beverages	0.9	1.0	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.9	1.8	1.9	1.8

^{*}Severe obesity is a subset of the obesity category









Source: School Physical Activity and Nutrition (SPAN) Survey 2015-2016 *funded by DSHS Title V Maternal and Child Health Block Grant*

Goals and Recommendations

10% by 2020

The goal of Healthy People 2020 is a 10 percent improvement with goals of 15.7 percent of children ages 6-11 years considered obese, and 16.1 percent of adolescents aged 12 to 19 years considered obese.



No more than 1-2 hours per day

The American Academy of Pediatrics recommends that parents limit children's total entertainment media time to no more than 1-2 hours per day.



2 cups of vegetables (2.5 cups for 11th grade) & 1.5 cups of fruit

According to the U.S. Department of Agriculture, children should consume 2 cups of vegetables (2.5 cups for 11th grade) and 1.5 cups of fruit per day.



60 minutes, 7 days a week

The 2008 U.S. Physical Activity Guidelines recommend children engage in 60 minutes of moderate to vigorous physical activity per day.



About the SPAN Survey

The goal of the School Physical Activity and Nutrition (SPAN) Project is to monitor the trends in body mass index (BMI) of school-age children in the fourth, eighth, and eleventh grades within ethnic, gender, and geographic subpopulations using a statewide surveillance system. SPAN has been conducted in Texas at four time points using a cross-sectional survey (years 2000-2002, 2004-2005, 2009-2011, 2015-2016). For 2015-2016, a total of 17,553 student surveys were collected representing the total 2nd, 4th, 8th, and 11th grade student population (N=1,295,316). For additional information please visit **go.uth.edu/SPAN**.

Completion of the School Physical Activity and Nutrition (SPAN) report was supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) under Grant Number B04MC2937, Texas Title V Maternal and Child Health Services.

This study was partially funded by the Michael & Susan Dell Foundation through resources provided at the Michael & Susan Dell Center for Healthy Living at The University of Texas Health Science Center (UTHealth) in Houston School of Public Health in Austin.











Grade 2 (HSR 1 & 9/10)

Grade 2 Population Demographics

Source: SPAN Survey 2015-2016



Health Service Region (HSR) 1 & 9/10



2nd Grade	HSR 1 & 9/10	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	62.8%	63.5%
Percent with overweight (BMI between the 85th and 94th percentile)	13.9%	14.2%
Percent with obesity (BMI at or above 95th percentile)	23.3%	22.3%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	5.9%	8.2%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.1	3.9
Percent meeting physical activity guidelines	23%	23%
Sedentary Behavior		
Hours per day playing video games	1.8	0.7
Hours per day watching TV or movies	0.9	1.7
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.3	3.2
Drank sodas or sweet beverages	0.8	0.9
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.8	1.9

^{*}Severe obesity is a subset of the obesity category











Child Obesity in Texas: Grade 4 (HSR 1 & 9/10)

Grade 4 Population Demographics

Source: SPAN Survey 2015-2016



Health Service Region (HSR) 1 & 9/10



4th Grade	HSR 1 & 9/10	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	61.9%	55.9%
Percent with overweight (BMI between the 85th and 94th percentile)	15.8%	17.4%
Percent with obesity (BMI at or above 95th percentile)	22.3%	26.7%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	8.4%	8.8%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	2.4	2.6
Percent meeting physical activity guidelines	10%	9%
Sedentary Behavior		
Hours per day playing video games	1.5	1.5
Hours per day watching TV or movies	1.9	0.9
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.0	3.2
Drank sodas or sweet beverages	1.1	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.7	1.8

^{*}Severe obesity is a subset of the obesity category










Grade 8 (HSR 1 & 9/10)

Grade 8 Population Demographics

Source: SPAN Survey 2015-2016



Health Service Region (HSR) 1 & 9/10

8th Grade	HSR 1 & 9/10	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	61.4%	59.3%
Percent with overweight (BMI between the 85th and 94th percentile)	18.1%	16.5%
Percent with obesity (BMI at or above 95th percentile)	20.5%	24.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	6.7%	9.0%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.8	4.3
Percent meeting physical activity guidelines	30%	24%
Sedentary Behavior		
Hours per day playing video games	1.5	1.4
Hours per day watching TV or movies	2.1	2.2
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.0	2.8
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.8	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 11 (HSŘ 1 & 9/10)

Grade 11 Population Demographics

Source: SPAN Survey 2015-2016



Health Service Region (HSR) 1 & 9/10



11th Grade	HSR 1 & 9/10	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	56.3%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	20.6%	19.5%
Percent with obesity (BMI at or above 95th percentile)	23.1%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	11.3%	6.7%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	3.9	4.0
Percent meeting physical activity guidelines	19%	21%
Sedentary Behavior		
Hours per day playing video games	1.3	1.1
Hours per day watching TV or movies	2.2	2.0
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.5	2.7
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.7	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 2 (HSR 2/3)

Grade 2 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 2/3





2nd Grade	HSR 2/3	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	60.7%	63.5%
Percent with overweight (BMI between the 85th and 94th percentile)	12.1%	14.2%
Percent with obesity (BMI at or above 95th percentile)	27.2%	22.3%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	12.1%	8.2%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	3.6	3.9
Percent meeting physical activity guidelines	20%	23%
Sedentary Behavior		
Hours per day playing video games	0.7	0.7
Hours per day watching TV or movies	1.7	1.7
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.3	3.2
Drank sodas or sweet beverages	1.0	0.9
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	2.1	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 4 (HSR 2/3)

Grade 4 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 2/3





4th Grade	HSR 2/3	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	59.1%	55.9%
Percent with overweight (BMI between the 85th and 94th percentile)	16.2%	17.4%
Percent with obesity (BMI at or above 95th percentile)	24.7%	26.7%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	9.3%	8.8%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	2.7	2.6
Percent meeting physical activity guidelines	10%	9%
Sedentary Behavior		
Hours per day playing video games	1.4	1.5
Hours per day watching TV or movies	1.9	0.9
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.4	3.2
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.9	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 8 (HSR 2/3)

Grade 8 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 2/3





8th Grade	HSR 2/3	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	51.8%	59.3%
Percent with overweight (BMI between the 85th and 94th percentile)	17.8%	16.5%
Percent with obesity (BMI at or above 95th percentile)	30.4%	24.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	9.9%	9.0%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.0	4.3
Percent meeting physical activity guidelines	17%	24%
Sedentary Behavior		
Hours per day playing video games	1.2	1.4
Hours per day watching TV or movies	2.2	2.2
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.9	2.8
Drank sodas or sweet beverages	1.1	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	2.1	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 11 (HSR 2/3)

Grade 11 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 2/3





1111 C	LICD 2/2	T
11th Grade	HSR 2/3	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	61.7%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	22.1%	19.5%
Percent with obesity (BMI at or above 95th percentile)	16.2%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	4.4%	6.7%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.0	4.0
Percent meeting physical activity guidelines	22%	21%
Sedentary Behavior		
Hours per day playing video games	1.2	1.1
Hours per day watching TV or movies	2.0	2.0
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.7	2.7
Drank sodas or sweet beverages	1.1	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.8	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 2 (HSR 4/5N)

Grade 2 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 4/5N





2nd Grade	HSR 4/5N	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	66.6%	63.5%
Percent with overweight (BMI between the 85th and 94th percentile)	12.1%	14.2%
Percent with obesity (BMI at or above 95th percentile)	21.3%	22.3%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	11.1%	8.2%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.2	3.9
Percent meeting physical activity guidelines	31%	23%
Sedentary Behavior		
Hours per day playing video games	0.9	0.7
Hours per day watching TV or movies	1.8	1.7
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.1	3.2
Drank sodas or sweet beverages	1.0	0.9
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	2.0	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 4 (HSR 4/5N)

Grade 4 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 4/5N





4th Grade	HSR 4/5N	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	61.1%	55.9%
Percent with overweight (BMI between the 85th and 94th percentile)	17.5%	17.4%
Percent with obesity (BMI at or above 95th percentile)	21.5%	26.7%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	8.3%	8.8%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	2.5	2.6
Percent meeting physical activity guidelines	11%	9%
Sedentary Behavior		
Hours per day playing video games	1.9	1.5
Hours per day watching TV or movies	2.1	0.9
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.9	3.2
Drank sodas or sweet beverages	1.3	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.9	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 8 (HSR 4/5N)

Grade 8 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 4/5N





8th Grade	HSR 4/5N	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	61.6%	59.3%
Percent with overweight (BMI between the 85th and 94th percentile)	18.2%	16.5%
Percent with obesity (BMI at or above 95th percentile)	20.2%	24.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	7.2%	9.0%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.4	4.3
Percent meeting physical activity guidelines	27%	24%
Sedentary Behavior		
Hours per day playing video games	1.7	1.4
Hours per day watching TV or movies	2.5	2.2
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.3	2.8
Drank sodas or sweet beverages	1.1	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	2.0	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 11 (HSR 4/5N)

Grade 11 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 4/5N





11th Grade	HSR 4/5N	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	60.3%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	16.7%	19.5%
Percent with obesity (BMI at or above 95th percentile)	23.0%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	9.1%	6.7%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.4	4.0
Percent meeting physical activity guidelines	28%	21%
Sedentary Behavior		
Hours per day playing video games	1.1	1.1
Hours per day watching TV or movies	2.1	2.0
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.6	2.7
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.9	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 2 (HŚR 6/5S)

Grade 2 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 6/5S





2nd Grade	HSR 6/5S	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	56.7%	63.5%
Percent with overweight (BMI between the 85th and 94th percentile)	18.8%	14.2%
Percent with obesity (BMI at or above 95th percentile)	24.5%	22.3%
Percentwith severe obesity (BMI ≥ 120th percent of 95th percentile)*	9.7%	8.2%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	3.2	3.9
Percent meeting physical activity guidelines	15%	23%
Sedentary Behavior		
Hours per day playing video games	0.8	0.7
Hours per day watching TV or movies	1.8	1.7
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.2	3.2
Drank sodas or sweet beverages	0.9	0.9
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.9	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 4 (HŚR 6/5S)

Grade 4 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 6/5S





4th Grade	HSR 6/5S	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	49.1%	55.9%
Percent with overweight (BMI between the 85th and 94th percentile)	20.2%	17.4%
Percent with obesity (BMI at or above 95th percentile)	30.7%	26.7%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	8.2%	8.8%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	2.8	2.6
Percent meeting physical activity guidelines	7%	9%
Sedentary Behavior		
Hours per day playing video games	1.6	1.5
Hours per day watching TV or movies	2.2	0.9
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.0	3.2
Drank sodas or sweet beverages	1.1	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.6	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 8 (HŚR 6/5S)

Grade 8 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 6/5S





8th Grade	HSR 6/5S	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	60.7%	59.3%
Percent with overweight (BMI between the 85th and 94th percentile)	15.0%	16.5%
Percent with obesity (BMI at or above 95th percentile)	24.3%	24.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	12.1%	9.0%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.2	4.3
Percent meeting physical activity guidelines	24%	24%
Sedentary Behavior		
Hours per day playing video games	1.4	1.4
Hours per day watching TV or movies	2.3	2.2
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.8	2.8
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	2.0	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 11 (HSR 6/5S)

Grade 11 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 6/5S





11th Grade	HSR 6/5S	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	60.7%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	19.2%	19.5%
Percent with obesity (BMI at or above 95th percentile)	20.1%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	5.6%	6.7%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.1	4.0
Percent meeting physical activity guidelines	19%	21%
Sedentary Behavior		
Hours per day playing video games	1.1	1.1
Hours per day watching TV or movies	1.9	2.0
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.9	2.7
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.8	1.8

^{*}Severe obesity is a subset of the obesity category











Child Obesity in Texas: Grade 2 (HSR 7)

Grade 2 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 7





2nd Grade	HSR 7	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	74.0%	63.5%
Percent with overweight (BMI between the 85th and 94th percentile)	9.7%	14.2%
Percent with obesity (BMI at or above 95th percentile)	16.3%	22.3%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	6.7%	8.2%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.2	3.9
Percent meeting physical activity guidelines	27%	23%
Sedentary Behavior		
Hours per day playing video games	0.7	0.7
Hours per day watching TV or movies	1.4	1.7
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.5	3.2
Drank sodas or sweet beverages	0.6	0.9
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.6	1.9

^{*}Severe obesity is a subset of the obesity category











Child Obesity in Texas: Grade 4 (HSR 7)

Grade 4 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 7





4th Grade	HSR 7	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	62.9%	55.9%
Percent with overweight (BMI between the 85th and 94th percentile)	15.3%	17.4%
Percent with obesity (BMI at or above 95th percentile)	21.8%	26.7%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	7.5%	8.8%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	2.7	2.6
Percent meeting physical activity guidelines	14%	9%
Sedentary Behavior		
Hours per day playing video games	1.1	1.5
Hours per day watching TV or movies	1.7	0.9
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.4	3.2
Drank sodas or sweet beverages	0.8	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.6	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 8 (HSR 7)

Grade 8 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 7





8th Grade	HSR 7	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	67.1%	59.3%
Percent with overweight (BMI between the 85th and 94th percentile)	13.5%	16.5%
Percent with obesity (BMI at or above 95th percentile)	19.4%	24.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	5.2%	9.0%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.7	4.3
Percent meeting physical activity guidelines	30%	24%
Sedentary Behavior		
Hours per day playing video games	1.4	1.4
Hours per day watching TV or movies	2.1	2.2
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.1	2.8
Drank sodas or sweet beverages	0.7	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.7	1.9

^{*}Severe obesity is a subset of the obesity category











Child Obesity in Texas: Grade 11 (HSR 7)

Grade 11 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 7





11th Grade	HSR 7	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	69.2%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	16.9%	19.5%
Percent with obesity (BMI at or above 95th percentile)	13.9%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	2.5%	6.7%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.3	4.0
Percent meeting physical activity guidelines	21%	21%
Sedentary Behavior		
Hours per day playing video games	0.9	1.1
Hours per day watching TV or movies	2.0	2.0
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.0	2.7
Drank sodas or sweet beverages	0.6	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.7	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 2 (HSŘ 8 & 11)

Grade 2 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 8 & 11





2nd Grade	HSR 8 & 11	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	60.0%	63.5%
Percent with overweight (BMI between the 85th and 94th percentile)	15.6%	14.2%
Percent with obesity (BMI at or above 95th percentile)	24.4%	22.3%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	6.5%	8.2%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	3.8	3.9
Percent meeting physical activity guidelines	27%	23%
Sedentary Behavior		
Hours per day playing video games	0.7	0.7
Hours per day watching TV or movies	1.8	1.7
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	3.0	3.2
Drank sodas or sweet beverages	1.0	0.9
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	2.0	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 4 (HSR 8 & 11)

Grade 4 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 8 & 11





4th Grade	HSR 8 & 11	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	49.7%	55.9%
Percent with overweight (BMI between the 85th and 94th percentile)	17.3%	17.4%
Percent with obesity (BMI at or above 95th percentile)	33.0%	26.7%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	11.9%	8.8%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	1.8	2.6
Percent meeting physical activity guidelines	7%	9%
Sedentary Behavior		
Hours per day playing video games	1.6	1.5
Hours per day watching TV or movies	2.1	0.9
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.9	3.2
Drank sodas or sweet beverages	1.2	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.8	1.8

^{*}Severe obesity is a subset of the obesity category











Grade 8 (HSŘ 8 & 11)

Grade 8 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 8 & 11





8th Grade	HSR 8 & 11	Texas
	וואס אכוו	TEXAS
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	53.9%	59.3%
Percent with overweight (BMI between the 85th and 94th percentile)	20.0%	16.5%
Percent with obesity (BMI at or above 95th percentile)	26.1%	24.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	11.3%	9.0%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.5	4.3
Percent meeting physical activity guidelines	26%	24%
Sedentary Behavior		
Hours per day playing video games	2.1	1.4
Hours per day watching TV or movies	1.4	2.2
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.5	2.8
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.8	1.9

^{*}Severe obesity is a subset of the obesity category











Grade 11 (HSR 8 & 11)

Grade 11 Population Demographics

Source: SPAN Survey 2015-2016

Health Service Region (HSR) 8 & 11





11th Condo	LICD 0 0 14	T
11th Grade	HSR 8 & 11	Texas
BMI Categories (as defined by CDC Growth Charts)		
Percent with normal weight	52.5%	60.3%
Percent with overweight (BMI between the 85th and 94th percentile)	19.0%	19.5%
Percent with obesity (BMI at or above 95th percentile)	28.5%	20.2%
Percent with severe obesity (BMI ≥ 120th percent of 95th percentile)*	12.1%	6.7%
Physical Activity Behavior		
Days per week of at least 60 min physical activity	4.0	4.0
Percent meeting physical activity guidelines	21%	21%
Sedentary Behavior		
Hours per day playing video games	1.1	1.1
Hours per day watching TV or movies	2.0	2.0
Dietary Behavior (number of times yesterday)		
Ate fruits or vegetables (vegetables, beans, fruit, 100% fruit juice)	2.4	2.7
Drank sodas or sweet beverages	1.0	1.0
Ate sweet or savory snacks (chips, frozen desserts, cookies, candy)	1.7	1.8

^{*}Severe obesity is a subset of the obesity category







