

APPENDIX 4.

II ECCTS Database Codebook

— Survey Database Codebook —

Second Central American Survey of Working Conditions and Health (II ECCTS)

DOL Grant # IL-29677-16-75-K-48
Working Conditions and Health in Central America

By

Southwest Center for Occupational and Environmental Health
The University of Texas Health Science Center at Houston (UTHealth)
School of Public Health

For

U.S. Department of Labor (USDOL)
Bureau of International Labor Affairs (ILAB)
Office of Economic and Labor Research (OELR)
and
USDOL Chief Evaluation Office (CEO)

Prepared By

David Gimeno Ruiz de Porras, MSc, Ph.D.
Principal Investigator and Professor

George L. Delclos, MD, MPH, PhD
Co-investigator and Professor

Acknowledgment and Disclaimer

Funding for this project was provided by the United States Department of Labor.

This material does not necessarily reflect the views or policies of the United States Department of Labor, nor does the mention of trade names, commercial products, or organizations imply endorsement by the United States Government.

Additional support was provided through funding from The University of Texas Health Science Center at Houston School of Public Health and in-kind contributions from the Universidad Nacional in Heredia, Costa Rica, and the Universitat Pompeu Fabra in Barcelona, Spain.

II ECCTS - CODEBOOK

INTRODUCTION

Datasets

The public use data file for the Second Central American Survey of Working Conditions and Health (II ECCTS) is provided in both Stata and data formats. The final combined dataset is available at the DOL website: <https://www.dol.gov/agencies/oasp/evaluation/publicusedata>.

The data files are named “II ECCTS 09-15-2020 [PUDF].csv” for the comma-separated value file, and “II ECCTS 09-15-2020 [PUDF].dta” for the file in Stata (StataCorp. 2019. Stata Statistical Software: Release 16. College Station, TX: StataCorp LLC) format.

Data Analysis

Post-sampling weights obtained from each country’s official Labour Force Surveys and demographic population data publications by age, sex, industry sector were applied to ensure that the sample accurately represented the working population of reference in each country. Country-specific weights were also developed for country-specific analyses. Thus, when using the data to obtain, for instance, the population prevalence of a parameter of interest, weights were applied to the data.

When the interest is to obtain statistics for the whole sample of Central America (that is, the combined samples of all six countries) the weights are in the variable named “wghtctrlam.” When the interest is to obtain statistics for specific countries, the weights are in the variable named “wghtentry.”

In order to run the analysis applying weights in Stata, for example, the user should first declare a survey design and then specifies estimation procedures. For instance, if using the weights for the whole sample:

- | | |
|-------------------------------------|--|
| (1) Declare survey design: | <code>svyset [pw=wghtctrlam]</code> |
| (2) Specify estimation (e.g., mean) | <code>svy: mean <i>variable_of_interest</i></code> |

VARIABLES

Variable	Observations	Label	
SURVEY IDS AND LOCATION			Page 257
subjectid	9032	SubjectID	
country	9032	Country	
zone	9032	Zone	
SAMPLE WEIGHTS			Page 258
wghtcntry	9032	WghtCntry	
wghtctrlam	9032	WghtCtrlAme	
FILTER QUESTIONS			Page 258
pf1	9032	Age(yrs)	
pf2	9032	WrkdLstWk	
EMPLOYMENT CHARACTERISTICS			Page 259
a1	9032	AgeWrk(yrs)	
a2	9032	Occ_ISCO-08	
a2_occ2d	9032	Occ_ISCO_2dgts	
a3	9032	OthrJbs	
a4_d	9032	JobSnrty(days)	
a5	9032	SocSec	
a6	9032	EmplTyp	
a7_rev	9032	CntrctTyp	
a8_d	9032	CntrctDur(days)	
a9	9032	CntrctHow	
a10	9032	CntrctForm	
a11	9032	CntrctCopy	
a12	9032	CntrctRcpts	
a13_d	9032	UnemployLst12mo(days)	
a14a	9032	RgtPaidVac	
a14b	9032	RgtRtrmnt	
a14c	9032	RgtHolidays	
a14d	9032	RgtDsblty	
a14e	9032	RgtGoToDr	
a14f	9032	RgtPrmssn	
a14g	9032	RgtMatLve	
a14h	9032	RgtMinWge	
a14i	9032	RgtBrstfd	
a15_rev	9032	HrsMainJob	
a16_rev	9032	HrsAllJobs	
a17_rev	9032	HrsMinWage	
a18_rev	9032	DaySchdl	
a19	9032	WrkDays	
a20	9032	FlexSchdl	
a21	9032	OvrtmeComp	
a22	9032	Overtime	
COMPANY / BUSINESS / ESTABLISHMENT CHARACTERISTICS			Page 270
b23	9032	Ind_ISIC-3.1	
b23_ind2d	9032	Ind_ISIC_2dgts	

b24	9032	Export	
b25	9032	Workforce	
b26	9032	Supervise	
b27	9032	JobPlace	
b28_min	9032	Commute(mins)	
b29_rev	9032	TranspMode	
WORKING CONDITIONS			Page 273
Physical			273
c30a	9032	Slippery	
c30b	9032	Holes	
c30c	9032	Space	
c30d	9032	Equipment	
c30e	9032	Dirty	
c31a	9032	HotTemp	
c31b	9032	ColdTemp	
c31c	9032	Noise	
c31d	9032	Toxic	
c31e	9032	Solar	
c31f	9032	Breathe	
c31g	9032	TobSmoke	
c31h	9032	Infected	
c31i	9032	Poison	
c32a	9032	Loads	
c32b	9032	Repetitive	
c32c	9032	Heavy	
c33a	9032	Up	
c33b	9032	Seated	
c33c	9032	Walking	
c33d	9032	Squatting	
c33e	9032	OnKnees	
c33f	9032	Leaning	
c34a	9032	Comfort	
c34b	9032	Movement	
c34c	9032	Postures	
c35a	9032	EyeStrain	
c35b	9032	Position	
Psychosocial			Page 284
c36a	9032	WorkFast	
c36b	9032	BuildUp	
c36c	9032	Time	
c36d	9032	Forget	
c36e	9032	Exhausting	
c36f	9032	HideFeel	
c36g	9032	ManyThings	
c37a	9032	AmountWrk	
c37b	9032	Opinion	
c37c	9032	TaskOrder	
c37d	9032	Break	
c37e	9032	LeavePrmsn	
c37f	9032	Initiative	
c37g	9032	NewThings	

c37h	9032	ApplySkills	
c37i	9032	Committed	
c37j	9032	TaskSense	
c37k	9032	Enthusiasm	
c38a	9032	FindJob	
c38b	9032	UnwillChange	
c38c	9032	SalaryChange	
c38d	9032	SchdlChange	
c39a	9032	Autonomy	
c39b	9032	Responsible	
c39c	9032	InAdvance	
c39d	9032	Information	
c39e	9032	SupportColl	
c39f	9032	SupportBoss	
c39g	9032	Isolated	
c39h	9032	TeamFeel	
c39i	9032	BossPlanner	
c39j	9032	BossCommunic	
c40a	9032	DsrvdRecognit	
c40b	9032	NeededSupport	
c40c	9032	Unfairly	
c40d	9032	RightRecognit	
c40e	9032	FairSalary	
HEALTH STATUS AND WELL-BEING			Page 299
General Health			Page 299
d41	9032	SRHealth	
Health-related behaviors			Page 299
d42	9032	HrsSleep	
d43	9032	SmkngHist	
d44	9032	SmkngNow	
d45	9032	PhysAct	
d46	9032	DrnkFrq	
d47	9032	DrnkNnbr	
Health Symptoms			Page 301
d48a1	9032	Neck	
d48a2	9032	Neck_WR	
d48a3	9032	Neck_UN	
d48b1	9032	Head	
d48b2	9032	Head_WR	
d48b3	9032	Head_UN	
d48c1	9032	Shldrs	
d48c2	9032	Shldrs_WR	
d48c3	9032	Shldrs_UN	
d48d1	9032	UpBck	
d48d2	9032	UpBck_WR	
d48d3	9032	UpBck_UN	
d48e1	9032	MidBck_UN	
d48e2	9032	MidBck_WR	
d48e3	9032	MidBck_UN	
d48f1	9032	Elbows	

d48f2	9032	Elbows_WR	
d48f3	9032	Elbows_UN	
d48g1	9032	WrstHnd	
d48g2	9032	WrstHnd_WR	
d48g3	9032	WrstHnd_UN	
d48h1	9032	Lowbck	
d48h2	9032	Lowbck_WR	
d48h3	9032	Lowbck_UN	
d48i1	9032	HpsThgs	
d48i2	9032	HpsThgs_WR	
d48i3	9032	HpsThgs_UN	
d48j1	9032	Knees	
d48j2	9032	Knees_WR	
d48j3	9032	Knees_UN	
d48k1	9032	AnklsFt	
d48k2	9032	AnklsFt_WR	
d48k3	9032	AnklsFt_UN	
d48l1	9032	Respir	
d48l2	9032	Respir_WR	
d48l3	9032	Respir_UN	
d48m1	9032	Dermat	
d48m2	9032	Dermat_WR	
d48m3	9032	Dermat_UN	
d48n1	9032	Coron	
d48n2	9032	Coron_WR	
d48n3	9032	Coron_UN	
d48o1	9032	Diabetes	
d48o2	9032	Diab_WR	
d48o3	9032	Diab_UN	
d48p1	9032	Vision	
d48p2	9032	Vision_WR	
d48p3	9032	Vision_UN	
d48q1	9032	Auditry	
d48q2	9032	Auditry_WR	
d48q3	9032	Auditry_UN	
d48r1	9032	Hyprtns	
d48r2	9032	Hyprtns_WR	
d48r3	9032	Hyprtns_UN	
d48s1	9032	Varico	
d48s2	9032	Varico_WR	
d48s3	9032	Varico_UN	
d48t1	9032	CKD	
d48t2	9032	CKD_WR	
d48t3	9032	CKD_UN	
Mental Health			Page 322
d49a	9032	Sleep	
d49b	9032	Pressure	
d49c	9032	Worries	
d49d	9032	Sad	
d49e	9032	Confidence	
d49f	9032	Worthless	
d49g	9032	Concentrate	

d49h	9032	Useful	
d49i	9032	Decisions	
d49j	9032	Enjoy	
d49k	9032	Problems	
d49l	9032	Happy	
Injuries			Page 326
d50_1	9032	InjSuprf	
d50_2	9032	InjFrctr	
d50_3	9032	InjLuxat	
d50_4	9032	InjAmput	
d50_5	9032	InjDeep	
d50_6	9032	InjBurn	
d50_7	9032	InjPois	
d50_any	9032	InjAny	
d51_d	9032	InjLstWrk(days)	
d52	9032	InjBodyPrt	
d53	9032	InjAgent	
d53_txt	109	InjAgent_txt	
d54	9032	InjMech	
d54_txt	41	InjMech_txt	
d55	9032	InjRep	
d56_txt	9031	InjRprtTo	
d57	9032	InjMed	
d58	9032	InjPay	
Illnesses			Page 332
d59	9032	Illnesses	
d60	9032	LstWrkHlth	
Disability			Page 333
d61	9032	PermDisab	
d62	9032	DisabWrk	
RESOURCES AND PREVENTIVE ACTIVITIES			Page 334
e63_rev	9032	FreeMedExm	
e64	9032	S&H_Infrmd	
e65	9032	PPE	
e66	9032	RskEval	
e67	9032	PrevServ	
e68	9032	S&H_Commit	
e69	9032	S&H_Mtngs	
e70	9032	HlthImprnt	
e71	9032	BossCares	
e72	9032	JobInspct	
e73_rev	9032	TrkWInspctr	
e74	9032	Union	
e75	9032	UnionPssbl	
e76_rev	9032	RgtsKnwldg	
e77	9032	LabCmplnts	
e78_none	9032	RptNone	
e78_aln	9032	RptAlone	
e78_attr	9032	RptAtt	

e78_orgnz	9032	RptOrgnz	
f79	9032	Gender	
f80	9032	Education	
SOCIO-DEMOGRAPHIC AND FAMILY CHARACTERISTICS			Page 341
f81_txt	9032	CntryBrn	
f82_m	9032	TmInCntry(mo)	
f83_rev	9032	Ethnicity	
f84	9032	Marital	
f85_m	9032	Hght(m)	
f86_kg	9032	Wght(kg)	
f87	9032	Income	
f88	9032	IncContr	
f89	9032	HshldSize	
f90	9032	Hshld<14	
f91	9032	Hshld<14Wrk	
f92a	9032	CareMinor	
f92b	9032	CareElder	
f92c	9032	HouseChores	
f93a	9027	CareMinors	
f93b	9032	CareFmly	
f93c	9032	CareHshld	
f94	9032	DmstcWrk	
f95a	9032	TskscUndn	
f95b	9032	ThnkWrk&Hom	
f95c	9032	NeedtWrk&Hom	
MODULE: KIDNEY DISEASE RISK FACTORS			Page 349
g96	9032	HighTemp	
g97	9032	Gr1Temp	
g98	9032	DrinkWtr	
g99	9032	Humidity	
g100	9032	Sweat	
g101	9032	HeatBthrs	
g102	9032	PhyEfrt	
g103	9032	HrsEfrt	
g104	9032	Thirsty	
g105_1	9032	Water	
g105_2	9032	Juices	
g105_3	9032	PackDrnk	
g105_4	9032	Sodas	
g105_5	9032	Coffee	
g105_6	9032	Hydrat	
g105_7	9032	Energy	
g105_8	9032	Alcohol	
g106	9032	PainKill	
g107_1	9032	None	
g107_2	9032	Aspirin	
g107_3	9032	Acetaminophen	
g107_4	9032	Ibuprofen	
g107_5	9032	Naproxen	
g107_6	9032	Ketoprofen	
g107_7	9032	Sulindac	

g107_8	9032	Indomethacin	
g107_9	9032	Antibiotics	
g107_10	9032	Diuretics	
g107_11	9032	Opiods	
g107_txt	5417	OtherMeds	
g108a	9032	Venom	
g108b	9032	Weed	
g108c	9032	Fungus	
g108d	9032	Frtlzrs	
MODULE: WORK-RELATED VIOLENCE			Page 360
Safety			Page 360
h109a	9032	Unsf_Home	
h109b	9032	Unsf_Work	
h109c	9032	Unsf_Route	
h109d	9032	Unsf_Neigh	
Type of event			Page 362
h110a	9032	WRV_Verbal	
h110b	9032	WRV_Threats	
h110c	9032	WRV_Behav	
h111a	9032	WRV_SexWrd	
h111b	9032	WRV_SexTouch	
h111c	9032	WRV_SexActs	
Experienced/witnessed			Page 364
h112a	9032	WRV_Exp	
h112b	9032	WRV_Wit	
h113a	9032	WRV_Age	
h113b	9032	WRV_Race	
h113c	9032	WRV_Gndr	
h113d	9032	WRV_SxOr	
h113e	9032	WRV_Blfs	
h113f	9032	WRV_Polit	
h113g	9032	WRV_TmpImpr	
h113h	9032	WRV_Class	
h113i	9032	WRV_Pregnant	
h113j	9032	WRV_WrkCond	
h113k	9032	WRV_Complaint	
LOCATION/PLACE OF EVENT			Page 369
h114a	9032	WRV_Route	
h114b	9032	WRV_Usual	
h114c	9032	WRV_NotUs1	
TYPE OF RELATIONSHIP WITH PERPRETRATOR			Page 371
h115a	9032	WRV_Superior	
h115b	9032	WRV_Colleague	
h115c	9032	WRV_User	
h115d	9032	WRV_NtJobRltd	

CONSEQUENCES OF EVENT			Page 372
h116a	9032	WRV_MntlHlt	
h116b	9032	WRV_LfStle	
h116c	9032	WRV_PhyHlth	
h117	9032	WRV_PermImpr	
h118a	9032	WRV_PayStp	
h118b	9032	WRV_PayCut	
h118c	9032	WRV_Dmtion	
h118d	9032	WRV_UnbltyWrk	
h118e	9032	WRV_Fired	
h118f	9032	WRV_JobChnge	
h118g	9032	WRV_LostTime	
h119_hrs	8879	WRV_LostHours	
h119_days	8967	WRV_LostDays	
REPORT OF EVENT			Page 377
h120a	9032	WRV_AtWork	
h120b	9032	WRV_Prof	
h120c	9032	WRV_Hshld	
h120d	9032	WRV_RlgLdr	
h120e	9032	WRV_Other	

SURVEY IDS AND LOCATION	
--------------------------------	--

Variable Name	Variable Label
subjectid	SubjectID

Variable type: numeric (int)

Range: [1,9038]

Unique values: 9,032

mean: 4520.5

std. dev: 2609.77

percentiles:	10%	25%	50%	75%	90%
	904	2258.5	4522.5	6780.5	8135

Variable Name	Variable Label
country	Country

Variable type: numeric (byte)

Value label: lbl_country

Range: [1,6]

Unique values: 6

Tabulation:	Freq.	Numeric	Label
	1,503	1	CostaRica
	1,507	2	ElSalvador
	1,510	3	Guatemala
	1,507	4	Honduras
	1,500	5	Nicaragua
	1,505	6	Panama

Variable Name	Variable Label
zone	Zone

Variable type: numeric (byte)

Value label: lbl_zone

Range: [1,2]

Unique values: 2

Tabulation:	Freq.	Numeric	Label
	5,976	1	Urban

3,056 2 Rural

SAMPLE WEIGHTS	
-----------------------	--

Variable Name	Variable Label
---------------	----------------

wghtcntry	WghtCntry
-----------	-----------

Variable type: numeric (float)

Range: [.19655371,11.1074]

Unique values: 280

mean: 1

std. dev: 1.20186

percentiles:	10%	25%	50%	75%	90%
	.361659	.409139	.482667	1.24794	2.37747

Variable Name	Variable Label
---------------	----------------

wghtctrlam	WghtCtrlAme
------------	-------------

Variable type: numeric (float)

Range: [.06054461,15.69191]

Unique values: 280

mean: 1

std. dev: 1.57527

percentiles:	10%	25%	50%	75%	90%
	.142465	.210749	.453019	1.06255	2.47534

FILTER QUESTIONS	
-------------------------	--

Variable Name	Variable Label
---------------	----------------

pf1	Age(yrs)
-----	----------

Variable type: numeric (byte)

Range: [18,89]

Unique values: 72

mean: 40.6189

std. dev: 14.6039

percentiles:	10%	25%	50%	75%	90%
	23	29	39	51	62

Variable Name	Variable Label
pf2	WrkdLstWk

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [1,1]
Unique values: 1

Tabulation:	Freq.	Numeric	Label
	9,032	1	Yes

EMPLOYMENT CHARACTERISTICS

Variable Name	Variable Label
a1	AgeWrk(yrs)

Variable type: numeric (byte)
Value label: lbl_a1

Range: [-99,68]
Unique values: 55 Missing: -99 Refused / -98 Don't know

Examples: 12
 15
 18
 20

Variable Name	Variable Label
a2	Occ_ISCO-08

Variable type: numeric (int)
Value label: lbl_a2

Range: [-99,9629]
Unique values: 281 Missing: -99 Refused / -98 Don't know

Examples: 5142
 5242

6111
8151

Variable Name	Variable Label
a2_occ2d	Occ_ISCO_2dgt

Variable type: numeric (byte)
Value label: lbl_a2_occ2d

Range: [1,10]
Unique values: 10

Examples:	5	Serv/Sales
	5	Serv/Sales
	6	SkilldAgric
	8	Operators

Variable Name	Variable Label
a3	OthrJbs

Variable type: numeric (byte)
Value label: lbl_a3

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6	-99	REF
	1	-98	DK
	8,222	1	None
	413	2	Yes/Rglrly
	308	3	Yes/Ocsion
	82	4	Yes/Ssonl

Variable Name	Variable Label
a4_d	JobSnrty(days)

Variable type: numeric (int)
Value label: lbl_a4_d

Range: [-99,24090]
Unique values: 373 Missing: -99 Refused / -98 Don't know

Examples: 365

1095
2555
5475

Variable Name	Variable Label
a5	SocSec

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	18	-98	DK
	2,936	1	Yes
	6,075	2	No

Variable Name	Variable Label
a6	EmplTyp

Variable type: numeric (byte)
Value label: lbl_a6

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	6	-98	DK
	1,840	1	Emplyr
	3,230	2	SelfEmpl
	3,782	3	Emplyee
	148	4	FmlyWrker
	23	5	Cooperatv

Variable Name	Variable Label
a7_rev	CntrctTyp

Variable type: numeric (byte)
Value label: lbl_a7_rev

Range: [-99,3] Not applicable: -88 NA

Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	96	-99	REF
	74	-98	DK
	5,070	-88	NA
	3,100	1	Permanent
	671	2	Temporary
	21	3	Practice

Variable Name	Variable Label
---------------	----------------

a8_d	CntrctDur(days)
------	-----------------

Variable type: numeric (int)
Value label: lbl_a8_d

Range: [-99,7300]	Not applicable: -88 NA
Unique values: 42	Missing: -99 Refused / -98 Don't know

Examples:	-88	NA
	-88	NA
	-88	NA
	-88	NA

Variable Name	Variable Label
---------------	----------------

a9	CntrctHow
----	-----------

Variable type: numeric (byte)
Value label: lbl_a9

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	58	-99	REF
	68	-98	DK
	5,070	-88	NA
	3,335	1	Directly
	501	2	Indirectly

Variable Name	Variable Label
---------------	----------------

a10	CntrctForm
-----	------------

Variable type: numeric (byte)

Value label: lbl_a10

Range: [-99,3] Not applicable: -88 NA
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	112	-99	REF
	20	-98	DK
	1,840	-88	NA
	2,287	1	Written
	1,564	2	Oral
	3,209	3	None

Variable Name	Variable Label
a11	CntrctCopy

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-98	DK
	6,745	-88	NA
	1,566	1	Yes
	714	2	No

Variable Name	Variable Label
a12	CntrctRcpts

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	84	-99	REF
	19	-98	DK
	1,840	-88	NA
	2,374	1	Yes
	4,715	2	No

Variable Name	Variable Label
---------------	----------------

a13_d UnemptyLst12mo(days)

Variable type: numeric (int)
Value label: lbl_a13_d

Range: [-99,360]
Unique values: 49 Missing: -99 Refused / -98 Don't know

Examples: 0 Ninguno
0 Ninguno
0 Ninguno
14

Variable Name Variable Label

a14a RgtPaidVac

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	35	-99	REF
	47	-98	DK
	3,374	1	Yes
	5,576	2	No

Variable Name Variable Label

a14b RgtRtrmmt

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	35	-99	REF
	94	-98	DK
	2,276	1	Yes
	6,627	2	No

Variable Name Variable Label

a14c

RgtHolidays

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	19	-98	DK
	6,052	1	Yes
	2,945	2	No

Variable Name

Variable Label

a14d

RgtDsblty

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	42	-99	REF
	44	-98	DK
	6,396	1	Yes
	2,550	2	No

Variable Name

Variable Label

a14e

RgtGoToDr

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	36	-99	REF
	46	-98	DK
	5,898	1	Yes
	3,052	2	No

Variable Name	Variable Label
a14f	RgtPrmssn

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	38	-99	REF
	50	-98	DK
	6,921	1	Yes
	2,023	2	No

Variable Name	Variable Label
a14g	RgtMatLve

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	163	-99	REF
	333	-98	DK
	4,802	1	Yes
	3,734	2	No

Variable Name	Variable Label
a14h	RgtMinWge

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	57	-99	REF
	84	-98	DK
	5,917	1	Yes
	2,974	2	No

Variable Name	Variable Label
a14i	RgtBrstfd

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	56	-99	REF
	395	-98	DK
	4,562	-88	NA
	2,834	1	Yes
	1,185	2	No

Variable Name	Variable Label
a15_rev	HrsMainJob

Variable type: numeric (int)
Value label: lbl_a15_rev

Range: [-99,160]
Unique values: 100 Missing: -99 Refused / -98 Don't know

Examples: 21
40
48
56

Variable Name	Variable Label
a16_rev	HrsAllJobs

Variable type: numeric (byte)
Value label: lbl_a16_rev

Range: [-99,96] Not applicable: -88 NA
Unique values: 84 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
-88 NA
-88 NA
-88 NA

Variable Name	Variable Label
a17_rev	HrsMinWage

Variable type: numeric (byte)
Value label: lbl_a17_rev

Range: [-99,97]
Unique values: 92 Missing: -99 Refused / -98 Don't know

Examples: 10
 40
 48
 56

Variable Name	Variable Label
a18_rev	DaySchdl

Variable type: numeric (byte)
Value label: lbl_a18_rev

Range: [-99,6]
Unique values: 8 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	24	-99	REF
	3	-98	DK
	6,246	1	Cont, morn-aftrn
	385	2	Cont, aftrn-nite
	88	3	Cont, nite-morn
	331	4	Shift (not nite)
	490	5	Shift (nite)
	1,465	6	Irregular

Variable Name	Variable Label
a19	WrkDays

Variable type: numeric (byte)
Value label: lbl_a19

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

6	-99	REF
1	-98	DK
1,914	1	Mon-Fri
3,402	2	Mon-Sat
2,571	3	EvryDay
147	4	WknsHlyDys
991	5	Irrglar

Variable Name	Variable Label
---------------	----------------

a20	FlexSchdl
-----	-----------

Variable type: numeric (byte)

Value label: lbl_a20

Range: [-99,3]

Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	14	-99	REF
	11	-98	DK
	2,010	1	Fix
	4,821	2	Flex/Me
	2,176	3	Flex/Company

Variable Name	Variable Label
---------------	----------------

a21	OvrtmeComp
-----	------------

Variable type: numeric (byte)

Value label: lbl_a21

Range: [-99,4]

Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	115	-99	REF
	16	-98	DK
	1,443	1	Always
	779	2	SmTimes
	2,728	3	Never
	3,951	4	NoOvertime

Variable Name	Variable Label
---------------	----------------

a22	Overtime
-----	----------

Variable type: numeric (byte)
Value label: lbl_a22

Range: [-99,3] Not applicable: -88 NA
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	116	-99	REF
	15	-98	DK
	3,951	-88	NA
	412	1	Always
	469	2	SmTimes
	4,069	3	Never

COMPANY / BUSINESS / ESTABLISHMENT CHARACTERISTICS	
---	--

Variable Name	Variable Label
b23	Ind_ISIC-3.1

Variable type: numeric (int)
Value label: lbl_b23

Range: [-99,9599]
Unique values: 195 Missing: -99 Refused / -98 Don't know

Examples: 2520
5220
5520
8030

Variable Name	Variable Label
b23_ind2d	Ind_ISIC_2dgts

Variable type: numeric (byte)
Value label: lbl_b23_ind2d

Range: [1,8]
Unique values: 8 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	958	1	Agriculture
	1,150	2	Manufacturing
	2,646	3	Services
	470	4	Construction
	2,555	5	Sales
	328	6	Transport

650 7 Educ/Hlthcr
275 8 PubAdm/Def

Variable Name **Variable Label**

b24 Export

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	14	-99	REF
	41	-98	DK
	797	1	Yes
	8,180	2	No

Variable Name **Variable Label**

b25 Workforce

Variable type: numeric (int)
Value label: lbl_b25

Range: [-99,21000]
Unique values: 174 Missing: -99 Refused / -98 Don't know

Examples: 1
2
3
10

Variable Name **Variable Label**

b26 Supervise

Variable type: numeric (int)
Value label: lbl_b26

Range: [-99,1200]
Unique values: 62 Missing: -99 Refused / -98 Don't know

Examples: 0
0
0
1

Variable Name	Variable Label
b27	JobPlace

Variable type: numeric (byte)
Value label: lbl_b27

Range: [-99,11]
Unique values: 13 Missing: -99 Refused / -98 Don't know

Examples: 1 Home
 2 House
 3 Building
 4 Field

Variable Name	Variable Label
b28_min	Commute(mins)

Variable type: numeric (int)
Value label: lbl_b28_min

Range: [-99,720] Not applicable: -88 NA
Unique values: 54 Missing: -99 Refused / -98 Don't know

Examples: 0
 5
 20
 60

Variable Name	Variable Label
b29_rev	TranspMode

Variable type: numeric (byte)
Value label: lbl_b29_rev

Range: [-99,9] Not applicable: -88 NA
Unique values: 12 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
 1 OnFoot
 3 Motorcycle
 4 Public

WORKING CONDITIONS	
---------------------------	--

Physical			
-----------------	--	--	--

Variable Name	Variable Label
---------------	----------------

c30a	Slippery
------	----------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	6	-98	DK
	5,889	0	Never
	574	1	Seldom
	971	2	SmTimes
	517	3	Often
	1,059	4	Always

Variable Name	Variable Label
---------------	----------------

c30b	Holes
------	-------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	7	-98	DK
	6,366	0	Never
	380	1	Seldom
	864	2	SmTimes
	474	3	Often
	925	4	Always

Variable Name	Variable Label
---------------	----------------

c30c	Space
------	-------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	18	-99	REF
	7	-98	DK
	5,486	0	Never
	369	1	Seldom
	849	2	SmTimes
	525	3	Often
	1,778	4	Always

Variable Name

Variable Label

c30d

Equipment

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	50	-99	REF
	2	-98	DK
	4,954	0	Never
	368	1	Seldom
	886	2	SmTimes
	649	3	Often
	2,123	4	Always

Variable Name

Variable Label

c30e

Dirty

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	22	-99	REF
	20	-98	DK
	6,477	0	Never
	521	1	Seldom

943	2	SmTimes
406	3	Often
643	4	Always

Variable Name	Variable Label
c31a	HotTemp

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	5	-98	DK
	3,141	0	Never
	626	1	Seldom
	1,791	2	SmTimes
	1,210	3	Often
	2,252	4	Always

Variable Name	Variable Label
c31b	ColdTemp

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	7	-98	DK
	4,968	0	Never
	973	1	Seldom
	1,655	2	SmTimes
	721	3	Often
	696	4	Always

Variable Name	Variable Label
c31c	Noise

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	19	-99	REF
	2	-98	DK
	5,385	0	Never
	475	1	Seldom
	1,251	2	SmTimes
	800	3	Often
	1,100	4	Always

Variable Name

Variable Label

c31d

Toxic

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	11	-99	REF
	5	-98	DK
	6,538	0	Never
	286	1	Seldom
	747	2	SmTimes
	481	3	Often
	964	4	Always

Variable Name

Variable Label

c31e

Solar

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	5	-98	DK
	5,132	0	Never
	426	1	Seldom

1,025	2	SmTimes
642	3	Often
1,790	4	Always

Variable Name	Variable Label
c31f	Breathe

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	11	-99	REF
	6	-98	DK
	5,158	0	Never
	390	1	Seldom
	1,175	2	SmTimes
	751	3	Often
	1,541	4	Always

Variable Name	Variable Label
c31g	TobSmoke

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	10	-99	REF
	13	-98	DK
	7,159	0	Never
	328	1	Seldom
	605	2	SmTimes
	308	3	Often
	609	4	Always

Variable Name	Variable Label
c31h	Infected

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	13	-99	REF
	10	-98	DK
	7,508	0	Never
	280	1	Seldom
	412	2	SmTimes
	281	3	Often
	528	4	Always

Variable Name

Variable Label

c31i

Poison

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8	-99	REF
	8	-98	DK
	7,725	0	Never
	151	1	Seldom
	467	2	SmTimes
	263	3	Often
	410	4	Always

Variable Name

Variable Label

c32a

Loads

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9	-99	REF
	6	-98	DK
	4,720	0	Never
	666	1	Seldom

1,444	2	SmTimes
777	3	Often
1,410	4	Always

Variable Name	Variable Label
c32b	Repetitive

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	7	-98	DK
	1,818	0	Never
	381	1	Seldom
	1,043	2	SmTimes
	1,441	3	Often
	4,337	4	Always

Variable Name	Variable Label
c32c	Heavy

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	11	-98	DK
	3,966	0	Never
	836	1	Seldom
	1,498	2	SmTimes
	945	3	Often
	1,769	4	Always

Variable Name	Variable Label
c33a	Up

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	7	-98	DK
	927	0	Never
	531	1	Seldom
	1,274	2	SmTimes
	1,641	3	Often
	4,645	4	Always

Variable Name	Variable Label
c33b	Seated

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	6	-98	DK
	2,197	0	Never
	1,654	1	Seldom
	2,341	2	SmTimes
	1,251	3	Often
	1,578	4	Always

Variable Name	Variable Label
c33c	Walking

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9	-99	REF
	5	-98	DK
	1,509	0	Never
	871	1	Seldom

2,031	2	SmTimes
1,630	3	Often
2,977	4	Always

Variable Name	Variable Label
c33d	Squatting

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	15	-99	REF
	12	-98	DK
	6,591	0	Never
	612	1	Seldom
	983	2	SmTimes
	435	3	Often
	384	4	Always

Variable Name	Variable Label
c33e	OnKnees

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	10	-99	REF
	5	-98	DK
	7,223	0	Never
	460	1	Seldom
	759	2	SmTimes
	323	3	Often
	252	4	Always

Variable Name	Variable Label
c33f	Leaning

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	13	-99	REF
	2	-98	DK
	5,922	0	Never
	596	1	Seldom
	1,329	2	SmTimes
	636	3	Often
	534	4	Always

Variable Name	Variable Label
c34a	Comfort

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	6	-98	DK
	876	0	Never
	388	1	Seldom
	1,068	2	SmTimes
	1,145	3	Often
	5,537	4	Always

Variable Name	Variable Label
c34b	Movement

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	11	-99	REF
	8	-98	DK
	510	0	Never
	175	1	Seldom

662	2	SmTimes
1,305	3	Often
6,361	4	Always

Variable Name	Variable Label
c34c	Postures

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	14	-99	REF
	1	-98	DK
	797	0	Never
	353	1	Seldom
	1,195	2	SmTimes
	1,499	3	Often
	5,173	4	Always

Variable Name	Variable Label
c35a	EyeStrain

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9	-99	REF
	1	-98	DK
	4,210	0	Never
	537	1	Seldom
	1,228	2	SmTimes
	896	3	Often
	2,151	4	Always

Variable Name	Variable Label
c35b	Position

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	6	-98	DK
	4,824	0	Never
	704	1	Seldom
	1,472	2	SmTimes
	915	3	Often
	1,099	4	Always

Psychosocial			
--------------	--	--	--

Variable Name

Variable Label

c36a

WorkFast

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9	-99	REF
	3	-98	DK
	2,694	0	Never
	650	1	Seldom
	2,030	2	SmTimes
	1,333	3	Often
	2,313	4	Always

Variable Name

Variable Label

c36b

BuildUp

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	18	-99	REF
	6	-98	DK

4,516	0	Never
646	1	Seldom
1,733	2	SmTimes
823	3	Often
1,290	4	Always

Variable Name	Variable Label
---------------	----------------

c36c	Time
------	------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	2	-98	DK
	543	0	Never
	156	1	Seldom
	812	2	SmTimes
	1,163	3	Often
	6,344	4	Always

Variable Name	Variable Label
---------------	----------------

c36d	Forget
------	--------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	17	-99	REF
	21	-98	DK
	5,045	0	Never
	558	1	Seldom
	1,279	2	SmTimes
	838	3	Often
	1,274	4	Always

Variable Name	Variable Label
---------------	----------------

c36e	Exhausting
------	------------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	11	-99	REF
	14	-98	DK
	3,970	0	Never
	550	1	Seldom
	1,484	2	SmTimes
	1,057	3	Often
	1,946	4	Always

Variable Name

Variable Label

c36f

HideFeel

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	15	-99	REF
	20	-98	DK
	4,727	0	Never
	351	1	Seldom
	1,038	2	SmTimes
	963	3	Often
	1,918	4	Always

Variable Name

Variable Label

c36g

ManyThings

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	11	-99	REF
	9	-98	DK

2,624	0	Never
456	1	Seldom
1,617	2	SmTimes
1,281	3	Often
3,034	4	Always

Variable Name	Variable Label
---------------	----------------

c37a	AmountWrk
------	-----------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	29	-99	REF
	35	-98	DK
	1,916	0	Never
	1,057	1	Seldom
	1,664	2	SmTimes
	983	3	Often
	3,348	4	Always

Variable Name	Variable Label
---------------	----------------

c37b	Opinion
------	---------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	70	-99	REF
	17	-98	DK
	1,054	0	Never
	698	1	Seldom
	1,464	2	SmTimes
	968	3	Often
	4,761	4	Always

Variable Name	Variable Label
---------------	----------------

c37c	TaskOrder
------	-----------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	35	-99	REF
	15	-98	DK
	991	0	Never
	725	1	Seldom
	1,261	2	SmTimes
	1,027	3	Often
	4,978	4	Always

Variable Name

Variable Label

c37d

Break

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6	-99	REF
	6	-98	DK
	1,349	0	Never
	767	1	Seldom
	1,431	2	SmTimes
	892	3	Often
	4,581	4	Always

Variable Name

Variable Label

c37e

LeavePrmsn

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	21	-99	REF
	33	-98	DK

1,921	0	Never
855	1	Seldom
1,241	2	SmTimes
804	3	Often
4,157	4	Always

Variable Name	Variable Label
---------------	----------------

c37f	Initiative
------	------------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	24	-98	DK
	379	0	Never
	448	1	Seldom
	960	2	SmTimes
	1,121	3	Often
	6,096	4	Always

Variable Name	Variable Label
---------------	----------------

c37g	NewThings
------	-----------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Z

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	15	-98	DK
	528	0	Never
	591	1	Seldom
	1,226	2	SmTimes
	1,295	3	Often
	5,370	4	Always

Variable Name	Variable Label
---------------	----------------

c37h	ApplySkills
------	-------------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	17	-98	DK
	309	0	Never
	459	1	Seldom
	1,066	2	SmTimes
	1,199	3	Often
	5,978	4	Always

Variable Name

Variable Label

c37i

Committed

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8	-99	REF
	7	-98	DK
	385	0	Never
	395	1	Seldom
	943	2	SmTimes
	1,228	3	Often
	6,066	4	Always

Variable Name

Variable Label

c37j

TaskSense

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8	-99	REF
	22	-98	DK

171	0	Never
264	1	Seldom
859	2	SmTimes
1,344	3	Often
6,364	4	Always

Variable Name	Variable Label
---------------	----------------

c37k	Enthusiasm
------	------------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Not applicable: -88 NA

Unique values: 8

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6	-99	REF
	9	-98	DK
	39	-88	NA
	371	0	Never
	468	1	Seldom
	1,535	2	SmTimes
	1,384	3	Often
	5,220	4	Always

Variable Name	Variable Label
---------------	----------------

c38a	FindJob
------	---------

Variable type: numeric (byte)

Value label: lbl_wrkcond

Range: [-99,4]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	39	-99	REF
	41	-98	DK
	2,610	0	Never
	578	1	Seldom
	1,217	2	SmTimes
	1,213	3	Often
	3,334	4	Always

Variable Name	Variable Label
---------------	----------------

c38b	UnwillChange
------	--------------

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	54	-99	REF
	33	-98	DK
	4,234	0	Never
	532	1	Seldom
	1,152	2	SmTimes
	966	3	Often
	2,061	4	Always

Variable Name	Variable Label
c38c	SalaryChange

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	62	-99	REF
	33	-98	DK
	3,998	0	Never
	355	1	Seldom
	821	2	SmTimes
	908	3	Often
	2,855	4	Always

Variable Name	Variable Label
c38d	SchdlChange

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	66	-99	REF

18	-98	DK
4,662	0	Never
405	1	Seldom
878	2	SmTimes
826	3	Often
2,177	4	Always

Variable Name	Variable Label
c39a	Autonomy

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	28	-99	REF
	423	-98	DK
	1,136	0	Never
	448	1	Seldom
	1,034	2	SmTimes
	1,043	3	Often
	4,920	4	Always

Variable Name	Variable Label
c39b	Responsible

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	13	-98	DK
	265	0	Never
	99	1	Seldom
	430	2	SmTimes
	852	3	Often
	7,366	4	Always

Variable Name	Variable Label
c39c	InAdvance

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	181	-99	REF
	69	-98	DK
	1,648	0	Never
	286	1	Seldom
	783	2	SmTimes
	997	3	Often
	5,068	4	Always

Variable Name	Variable Label
c39d	Information

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	123	-99	REF
	25	-98	DK
	790	0	Never
	195	1	Seldom
	697	2	SmTimes
	1,045	3	Often
	6,157	4	Always

Variable Name	Variable Label
c39e	SupportColl

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	283	-99	REF

38	-98	DK
2,274	0	Never
253	1	Seldom
861	2	SmTimes
937	3	Often
4,386	4	Always

Variable Name	Variable Label
c39f	SupportBoss

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	429	-99	REF
	60	-98	DK
	3,185	0	Never
	304	1	Seldom
	906	2	SmTimes
	853	3	Often
	3,295	4	Always

Variable Name	Variable Label
c39g	Isolated

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	373	-99	REF
	51	-98	DK
	4,953	0	Never
	290	1	Seldom
	654	2	SmTimes
	654	3	Often
	2,057	4	Always

Variable Name	Variable Label
c39h	TeamFeel

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	311	-99	REF
	55	-98	DK
	2,226	0	Never
	206	1	Seldom
	586	2	SmTimes
	767	3	Often
	4,881	4	Always

Variable Name	Variable Label
c39i	BossPlanner

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	456	-99	REF
	83	-98	DK
	2,226	0	Never
	132	1	Seldom
	689	2	SmTimes
	1,006	3	Often
	4,440	4	Always

Variable Name	Variable Label
c39j	BossCommunic

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	465	-99	REF

91	-98	DK
2,298	0	Never
144	1	Seldom
630	2	SmTimes
966	3	Often
4,438	4	Always

Variable Name	Variable Label
c40a	DsrvdRecognit

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	403	-99	REF
	89	-98	DK
	2,487	0	Never
	402	1	Seldom
	1,134	2	SmTimes
	949	3	Often
	3,568	4	Always

Variable Name	Variable Label
c40b	NeededSupport

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	175	-99	REF
	47	-98	DK
	1,526	0	Never
	324	1	Seldom
	1,101	2	SmTimes
	1,127	3	Often
	4,732	4	Always

Variable Name	Variable Label
c40c	Unfairly

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	174	-99	REF
	21	-98	DK
	6,783	0	Never
	416	1	Seldom
	763	2	SmTimes
	411	3	Often
	464	4	Always

Variable Name	Variable Label
c40d	RightRecognit

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	147	-99	REF
	38	-98	DK
	1,554	0	Never
	485	1	Seldom
	1,290	2	SmTimes
	1,327	3	Often
	4,191	4	Always

Variable Name	Variable Label
c40e	FairSalary

Variable type: numeric (byte)
Value label: lbl_wrkcond

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	80	-99	REF

26	-98	DK
1,776	0	Never
500	1	Seldom
1,304	2	SmTimes
1,107	3	Often
4,239	4	Always

HEALTH STATUS AND WELL-BEING	
-------------------------------------	--

General Health	
-----------------------	--

Variable Name	Variable Label
d41	SRHealth

Variable type: numeric (byte)
Value label: lbl_d41

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	1	-98	DK
	2,131	1	VGood
	4,082	2	Good
	2,513	3	Fair
	270	4	Poor
	32	5	VPoor

Health-related behaviors		
---------------------------------	--	--

Variable Name	Variable Label
d42	HrsSleep

Variable type: numeric (byte)
Value label: lbl_d42

Range: [-99,15]
Unique values: 18 Missing: -99 Refused / -98 Don't know

Examples: 6
7
8
8

Variable Name	Variable Label
d43	SmkngHist

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	93	-99	REF
	12	-98	DK
	1,765	1	Yes
	7,162	2	No

Variable Name	Variable Label
d44	SmkngNow

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	132	-99	REF
	18	-98	DK
	1,034	1	Yes
	7,848	2	No

Variable Name	Variable Label
d45	PhysAct

Variable type: numeric (byte)

Value label: lbl_d45

Range: [-99,3]

Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	201	-99	REF
	59	-98	DK
	3,190	1	Vigorously
	2,646	2	Moderately

2,936 3 Seldom

Variable Name	Variable Label
d46	DrnkFrq

Variable type: numeric (byte)

Value label: lbl_d46

Range: [-99,11]

Unique values: 12 Missing: -99 Refused / -98 Don't know

Examples: 8 1-2d/Mo.

11 Never

11 Never

11 Never

Variable Name	Variable Label
d47	DrnkNnbr

Variable type: numeric (byte)

Value label: lbl_d47

Range: [-99,20]

Not applicable: -88 NA

Unique values: 23 Missing: -99 Refused / -98 Don't know

Examples: -88 NA

-88 NA

-88 NA

1

Health Symptoms	
-----------------	--

Variable Name	Variable Label
d48a1	Neck

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation: Freq. Numeric Label

10 -99 REF

13 -98 DK

2,507	1	Yes
6,502	2	No

Variable Name	Variable Label
---------------	----------------

d48a2	Neck_WR
-------	---------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2]	Not applicable: -88 NA
Unique values: 4	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	20	-98	DK
	6,525	-88	NA
	1,709	1	Yes
	778	2	No

Variable Name	Variable Label
---------------	----------------

d48a3	Neck_UN
-------	---------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2]	Not applicable: -88 NA
Unique values: 4	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	10	-98	DK
	6,525	-88	NA
	337	1	Yes
	2,160	2	No

Variable Name	Variable Label
---------------	----------------

d48b1	Head
-------	------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Missing: -99 Refused / -98 Don't know
Unique values: 4	

Tabulation:	Freq.	Numeric	Label
	4	-99	REF

14	-98	DK
3,237	1	Yes
5,777	2	No

Variable Name	Variable Label
d48b2	Head_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-99	REF
	20	-98	DK
	5,795	-88	NA
	1,838	1	Yes
	1,378	2	No

Variable Name	Variable Label
d48b3	Head_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	5	-98	DK
	5,795	-88	NA
	332	1	Yes
	2,898	2	No

Variable Name	Variable Label
d48c1	Shldrs

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Missing: -99 Refused / -98 Don't know
Unique values: 4	

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	19	-98	DK
	1,914	1	Yes
	7,096	2	No

Variable Name	Variable Label
d48c2	Shldrs_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2]	Not applicable: -88 NA
Unique values: 4	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-98	DK
	7,118	-88	NA
	1,422	1	Yes
	485	2	No

Variable Name	Variable Label
d48c3	Shldrs_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	6	-98	DK
	7,118	-88	NA
	242	1	Yes
	1,664	2	No

Variable Name	Variable Label
d48d1	UpBck

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	17	-98	DK
	2,155	1	Yes
	6,857	2	No

Variable Name	Variable Label
----------------------	-----------------------

d48d2	UpBck_WR
-------	----------

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
 Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-99	REF
	14	-98	DK
	6,877	-88	NA
	1,633	1	Yes
	507	2	No

Variable Name	Variable Label
----------------------	-----------------------

d48d3	UpBck_UN
-------	----------

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
 Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	4	-98	DK
	6,877	-88	NA
	326	1	Yes
	1,823	2	No

Variable Name	Variable Label
----------------------	-----------------------

d48e1	MidBck_UN
-------	-----------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	33	-98	DK
	1,567	1	Yes
	7,429	2	No

Variable Name	Variable Label
d48e2	MidBck_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8	-98	DK
	7,465	-88	NA
	1,175	1	Yes
	384	2	No

Variable Name	Variable Label
d48e3	MidBck_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	3	-98	DK
	7,465	-88	NA
	255	1	Yes
	1,307	2	No

Variable Name	Variable Label
d48f1	Elbows

```

-----
Variable type: numeric (byte)
Value label: lbl_yesno12

          Range: [-99,2]
Unique values: 4          Missing: -99 Refused / -98 Don't know

Tabulation:  Freq.    Numeric  Label
              3         -99    REF
              15        -98    DK
             449         1     Yes
            8,565        2     No

Variable Name                                     Variable Label
-----
d48f2                                             Elbows_WR
-----

```

```

Variable type: numeric (byte)
Value label: lbl_yesno12

          Range: [-98,2]    Not applicable: -88 NA
Unique values: 4          Missing: -99 Refused / -98 Don't know

Tabulation:  Freq.    Numeric  Label
              3         -98    DK
            8,583        -88    NA
             308         1     Yes
             138         2     No

Variable Name                                     Variable Label
-----
d48f3                                             Elbows_UN
-----

```

```

Variable type: numeric (byte)
Value label: lbl_yesno12

          Range: [-98,2]    Not applicable: -88 NA
Unique values: 4          Missing: -99 Refused / -98 Don't know

Tabulation:  Freq.    Numeric  Label
              1         -98    DK
            8,583        -88    NA
              70         1     Yes
             378         2     No

Variable Name                                     Variable Label
-----

```

d48g1

WrstHnd

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	32	-98	DK
	1,847	1	Yes
	7,150	2	No

Variable Name

Variable Label

d48g2

WrstHnd_WR

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2]

Not applicable: -88 NA

Unique values: 4

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9	-98	DK
	7,185	-88	NA
	1,464	1	Yes
	374	2	No

Variable Name

Variable Label

d48g3

WrstHnd_UN

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2]

Not applicable: -88 NA

Unique values: 4

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-98	DK
	7,185	-88	NA
	190	1	Yes
	1,654	2	No

Variable Name	Variable Label
d48h1	Lowbck

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	26	-98	DK
	1,636	1	Yes
	7,366	2	No

Variable Name	Variable Label
d48h2	Lowbck_WR

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2]

Not applicable: -88 NA

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-98	DK
	7,396	-88	NA
	1,256	1	Yes
	376	2	No

Variable Name	Variable Label
d48h3	Lowbck_UN

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2]

Not applicable: -88 NA

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-98	DK
	7,396	-88	NA
	229	1	Yes
	1,403	2	No

Variable Name	Variable Label
d48i1	HpsThgs

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	32	-98	DK
	926	1	Yes
	8,070	2	No

Variable Name	Variable Label
d48i2	HpsThgs_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6	-98	DK
	8,106	-88	NA
	653	1	Yes
	267	2	No

Variable Name	Variable Label
d48i3	HpsThgs_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-98	DK
	8,106	-88	NA
	141	1	Yes

Variable Name	782	2	No	Variable Label
d48j1				Knees

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	28	-98	DK
	1,469	1	Yes
	7,531	2	No

Variable Name	Variable Label
d48j2	Knees_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-99	REF
	13	-98	DK
	7,563	-88	NA
	902	1	Yes
	553	2	No

Variable Name	Variable Label
d48j3	Knees_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	4	-98	DK

7,563	-88	NA
186	1	Yes
1,277	2	No

Variable Name	Variable Label
d48k1	AnklsFt

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	26	-98	DK
	1,847	1	Yes
	7,155	2	No

Variable Name	Variable Label
d48k2	AnklsFt_WR

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-98	DK
	7,185	-88	NA
	1,367	1	Yes
	476	2	No

Variable Name	Variable Label
d48k3	AnklsFt_UN

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

5	-98	DK
7,185	-88	NA
166	1	Yes
1,676	2	No

Variable Name	Variable Label
d4811	Respir

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	23	-98	DK
	871	1	Yes
	8,135	2	No

Variable Name	Variable Label
d4812	Respir_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	10	-98	DK
	8,161	-88	NA
	357	1	Yes
	504	2	No

Variable Name	Variable Label
d4813	Respir_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-99	REF
	4	-98	DK
	8,161	-88	NA
	137	1	Yes
	729	2	No

Variable Name	Variable Label
d48m1	Dermat

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	35	-98	DK
	495	1	Yes
	8,497	2	No

Variable Name	Variable Label
d48m2	Dermat_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8	-98	DK
	8,537	-88	NA
	239	1	Yes
	248	2	No

Variable Name	Variable Label
d48m3	Dermat_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-88,2] Not applicable: -88 NA

Unique values: 3 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,537	-88	NA
	68	1	Yes
	427	2	No

Variable Name	Variable Label
d48n1	Coron

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	76	-98	DK
	351	1	Yes
	8,602	2	No

Variable Name	Variable Label
d48n2	Coron_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-98	DK
	8,681	-88	NA
	106	1	Yes
	240	2	No

Variable Name	Variable Label
d48n3	Coron_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-98	DK
	8,681	-88	NA
	61	1	Yes
	287	2	No

Variable Name	Variable Label
d48o1	Diabetes

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	92	-98	DK
	429	1	Yes
	8,508	2	No

Variable Name	Variable Label
d48o2	Diab_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-98	DK
	8,603	-88	NA
	76	1	Yes
	350	2	No

Variable Name	Variable Label
d48o3	Diab_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-88,2] Not applicable: -88 NA

Unique values: 3 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,603	-88	NA
	54	1	Yes
	375	2	No

Variable Name	Variable Label
d48p1	Vision

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	36	-98	DK
	1,737	1	Yes
	7,256	2	No

Variable Name	Variable Label
d48p2	Vision_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	20	-98	DK
	7,295	-88	NA
	760	1	Yes
	957	2	No

Variable Name	Variable Label
d48p3	Vision_UN

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-98	DK
	7,295	-88	NA
	146	1	Yes
	1,590	2	No

Variable Name	Variable Label
---------------	----------------

d48q1	Auditry
-------	---------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	35	-98	DK
	335	1	Yes
	8,659	2	No

Variable Name	Variable Label
---------------	----------------

d48q2	Auditry_WR
-------	------------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-98	DK
	8,697	-88	NA
	126	1	Yes
	204	2	No

Variable Name	Variable Label
---------------	----------------

d48q3	Auditry_UN
-------	------------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-98	DK
	8,697	-88	NA
	45	1	Yes
	286	2	No

Variable Name	Variable Label
----------------------	-----------------------

d48r1	Hyprtns
-------	---------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-99	REF
	73	-98	DK
	1,051	1	Yes
	7,905	2	No

Variable Name	Variable Label
----------------------	-----------------------

d48r2	Hyprtns_WR
-------	------------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	10	-98	DK
	7,981	-88	NA
	340	1	Yes
	701	2	No

Variable Name	Variable Label
----------------------	-----------------------

d48r3	Hyprtns_UN
-------	------------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-98	DK
	7,981	-88	NA
	136	1	Yes
	913	2	No

Variable Name	Variable Label
d48s1	Varico

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	25	-98	DK
	557	1	Yes
	8,443	2	No

Variable Name	Variable Label
d48s2	Varico_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9	-98	DK
	8,475	-88	NA
	283	1	Yes
	265	2	No

Variable Name	Variable Label
d48s3	Varico_UN

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-98	DK
	8,475	-88	NA
	50	1	Yes
	506	2	No

Variable Name	Variable Label
d48t1	CKD

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	94	-98	DK
	370	1	Yes
	8,564	2	No

Variable Name	Variable Label
d48t2	CKD_WR

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-98	DK
	8,662	-88	NA
	141	1	Yes
	222	2	No

Variable Name	Variable Label
d48t3	CKD_UN

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-98,2] Not applicable: -88 NA
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	3	-98	DK
	8,662	-88	NA
	67	1	Yes
	300	2	No

Mental Health	
----------------------	--

Variable Name	Variable Label
---------------	----------------

d49a	Sleep
------	-------

Variable type: numeric (byte)
 Value label: lbl_d49af

Range: [-99,4]
 Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	9	-98	DK
	5,600	1	NotAtAll
	1,777	2	NoMrUsal
	1,227	3	SmthngMore
	414	4	MuchMore

Variable Name	Variable Label
---------------	----------------

d49b	Pressure
------	----------

Variable type: numeric (byte)
 Value label: lbl_d49af

Range: [-99,4]
 Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	12	-98	DK
	5,512	1	NotAtAll
	1,900	2	NoMrUsal
	1,257	3	SmthngMore

Variable Name	347	4	MuchMore	Variable Label
d49c				Worries

Variable type: numeric (byte)
Value label: lbl_d49af

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7	-99	REF
	11	-98	DK
	5,692	1	NotAtAll
	1,892	2	NoMrUsal
	1,148	3	SmthngMore
	282	4	MuchMore

Variable Name	Variable Label
d49d	Sad

Variable type: numeric (byte)
Value label: lbl_d49af

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	9	-98	DK
	5,493	1	NotAtAll
	1,622	2	NoMrUsal
	1,448	3	SmthngMore
	458	4	MuchMore

Variable Name	Variable Label
d49e	Confidence

Variable type: numeric (byte)
Value label: lbl_d49af

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	13	-98	DK
	7,092	1	NotAtAll
	1,114	2	NoMrUsal
	633	3	SmthngMore
	175	4	MuchMore

Variable Name	Variable Label
d49f	Worthless

Variable type: numeric (byte)
Value label: lbl_d49af

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	11	-99	REF
	10	-98	DK
	7,639	1	NotAtAll
	793	2	NoMrUsal
	436	3	SmthngMore
	143	4	MuchMore

Variable Name	Variable Label
d49g	Concentrate

Variable type: numeric (byte)
Value label: lbl_d49gl

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	7	-98	DK
	3,825	1	MoreUsal
	4,546	2	AsUsual
	505	3	SmthngLess
	144	4	MuchLess

Variable Name	Variable Label
d49h	Useful

Variable type: numeric (byte)

Value label: lbl_d49g1

Range: [-99,4]

Unique values: 6

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	17	-98	DK
	4,231	1	MoreUsal
	4,251	2	AsUsual
	399	3	SmthngLess
	122	4	MuchLess

Variable Name

Variable Label

d49i

Decisions

Variable type: numeric (byte)

Value label: lbl_d49g1

Range: [-99,4]

Unique values: 6

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	13	-98	DK
	3,893	1	MoreUsal
	4,535	2	AsUsual
	466	3	SmthngLess
	120	4	MuchLess

Variable Name

Variable Label

d49j

Enjoy

Variable type: numeric (byte)

Value label: lbl_d49g1

Range: [-99,4]

Unique values: 6

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	8	-98	DK
	3,686	1	MoreUsal
	4,610	2	AsUsual

570	3	SmthngLess
154	4	MuchLess

Variable Name	Variable Label
---------------	----------------

d49k	Problems
------	----------

Variable type: numeric (byte)
Value label: lbl_d49gl

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	8	-98	DK
	3,744	1	MoreUsal
	4,740	2	AsUsual
	419	3	SmthngLess
	116	4	MuchLess

Variable Name	Variable Label
---------------	----------------

d49l	Happy
------	-------

Variable type: numeric (byte)
Value label: lbl_d49gl

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	4	-99	REF
	8	-98	DK
	4,137	1	MoreUsal
	4,326	2	AsUsual
	449	3	SmthngLess
	108	4	MuchLess

Injuries	
----------	--

Variable Name	Variable Label
---------------	----------------

d50_1	InjSuprf
-------	----------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
 Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,811	0	No
	221	1	Yes

Variable Name	Variable Label
d50_2	InjFrctr

Variable type: numeric (byte)
 Value label: lbl_noyes01

Range: [0,1]
 Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,927	0	No
	105	1	Yes

Variable Name	Variable Label
d50_3	InjLuxat

Variable type: numeric (byte)
 Value label: lbl_noyes01

Range: [0,1]
 Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,933	0	No
	99	1	Yes

Variable Name	Variable Label
d50_4	InjAmput

Variable type: numeric (byte)
 Value label: lbl_noyes01

Range: [0,1]
 Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

9,030	0	No
2	1	Yes

Variable Name	Variable Label
---------------	----------------

d50_5	InjDeep
-------	---------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,973	0	No
	59	1	Yes

Variable Name	Variable Label
---------------	----------------

d50_6	InjBurn
-------	---------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,935	0	No
	97	1	Yes

Variable Name	Variable Label
---------------	----------------

d50_7	InjPois
-------	---------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9,017	0	No
	15	1	Yes

Variable Name	Variable Label
---------------	----------------

d50_any InjAny

Variable type: numeric (byte)

Value label: lbl_noyes01

Range: [0,1]

Unique values: 2

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,468	0	No
	564	1	Yes

Variable Name	Variable Label
---------------	----------------

d51_d	InjLstWrk(days)
-------	-----------------

Variable type: numeric (int)

Value label: lbl_d51_d

Range: [-99,360]

Not applicable: -88 NA

Unique values: 34

Missing: -99 Refused / -98 Don't know

Examples: -88 NA
-88 NA
-88 NA
-88 NA

Variable Name	Variable Label
---------------	----------------

d52	InjBodyPrt
-----	------------

Variable type: numeric (byte)

Value label: lbl_d52

Range: [-99,8]

Not applicable: -88 NA

Unique values: 11

Missing: -99 Refused / -98 Don't know

Examples: -88 NA
-88 NA
-88 NA
-88 NA

Variable Name	Variable Label
---------------	----------------

d53	InjAgent
-----	----------

Variable type: numeric (byte)
Value label: lbl_d53

Range: [-98,10] Not applicable: -88 NA
Unique values: 12 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
 -88 NA
 -88 NA
 -88 NA

Variable Name	Variable Label
d53_txt	InjAgent_txt

Variable type: string (str30)

Unique values: 7

Tabulation:	Freq.	Value
	8,923	".NA"
	89	"Colliding with another person"
	9	"Excessive force"
	2	"Fire"
	1	"Firearm"
	1	"I was pushed by another person"
	7	"Slip"

Variable Name	Variable Label
d54	InjMech

Variable type: numeric (byte)
Value label: lbl_d54

Range: [-99,11] Not applicable: -88 NA
Unique values: 14 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
 -88 NA
 -88 NA
 -88 NA

Variable Name	Variable Label
d54_txt	InjMech_txt

Variable type: string (str27)

Unique values: 4

Tabulation:	Freq.	Value
	8,991	".NA"
	1	"Firearm shooting"
	1	"For sitting for a long time"
	39	"Walking"

Variable Name	Variable Label
d55	InjRep

Variable type: numeric (byte)

Value label: lbl_yesno12

Range:	[-88,2]	Not applicable:	-88 NA
Unique values:	3	Missing:	-99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,468	-88	NA
	264	1	Yes
	300	2	No

Variable Name	Variable Label
d56_txt	InjRprtTo

Variable type: string (str28)

Unique values: 15

Examples: ".NA"
".NA"
".NA"
".NA"

Variable Name	Variable Label
d57	InjMed

Variable type: numeric (byte)

Value label: lbl_yesno12

Range:	[-99,2]	Not applicable:	-88 NA
Unique values:	5	Missing:	-99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	1	-98	DK
	8,468	-88	NA
	323	1	Yes
	238	2	No

Variable Name	Variable Label
d58	InjPay

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	2	-99	REF
	8,468	-88	NA
	120	1	Yes
	442	2	No

Illnesses	
------------------	--

Variable Name	Variable Label
d59	Illnesses

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	35	-98	DK
	578	1	Yes
	8,407	2	No

Variable Name	Variable Label
d60	LstWrkHlth

Variable type: numeric (int)
Value label: lbl_d60

Range: [-99,365]
 Unique values: 53 Missing: -99 Refused / -98 Don't know

Examples: 0
 0
 0
 0

Disability	
-------------------	--

Variable Name	Variable Label
d61	PermDisab

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	13	-99	REF
	27	-98	DK
	330	1	Yes
	8,662	2	No

Variable Name	Variable Label
d62	DisabWrk

Variable type: numeric (byte)
 Value label: lbl_d62

Range: [-99,5] Not applicable: -88 NA
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1	-99	REF
	8,702	-88	NA
	56	1	Always
	73	2	ManyTimes
	102	3	SmTimes
	59	4	Seldom
	39	5	Never

RESOURCES AND PREVENTIVE ACTIVITIES	
--	--

Variable Name	Variable Label
e63_rev	FreeMedExm

Variable type: numeric (byte)

Value label: lbl_e63_rev

Range: [-99,3] Not applicable: -88 NA
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	186	-99	REF
	78	-98	DK
	1,840	-88	NA
	1,323	1	YesHad
	598	2	YesDdnt
	5,007	3	NotOff

Variable Name	Variable Label
e64	S&H_Infrmd

Variable type: numeric (byte)

Value label: lbl_e64

Range: [-99,6]
Unique values: 8 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	70	-99	REF
	41	-98	DK
	1,691	1	VWell
	3,761	2	Well
	2,461	3	Fair
	335	4	Bad
	123	5	VBad
	550	6	NotInfrmd

Variable Name	Variable Label
e65	PPE

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	166	-99	REF
	42	-98	DK
	2,894	1	Yes
	5,930	2	No

Variable Name	Variable Label
---------------	----------------

e66	RskEval
-----	---------

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	212	-99	REF
	282	-98	DK
	1,883	1	Yes
	6,655	2	No

Variable Name	Variable Label
---------------	----------------

e67	PrevServ
-----	----------

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	212	-99	REF
	171	-98	DK
	2,163	1	Yes
	6,486	2	No

Variable Name	Variable Label
---------------	----------------

e68	S&H_Commit
-----	------------

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	225	-99	REF
	152	-98	DK
	1,919	1	Yes
	6,736	2	No

Variable Name	Variable Label
-----	-----
e69	S&H_Mtngs
-----	-----

Variable type: numeric (byte)
 Value label: lbl_yesno12

Range: [-99,2]
 Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	231	-99	REF
	104	-98	DK
	2,271	1	Yes
	6,426	2	No

Variable Name	Variable Label
-----	-----
e70	HlthImprnt
-----	-----

Variable type: numeric (byte)
 Value label: lbl_e70

Range: [-99,5]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	156	-99	REF
	69	-98	DK
	4,551	1	Always
	1,580	2	Often
	1,188	3	SmTimes
	557	4	Seldom
	931	5	Never

Variable Name	Variable Label
-----	-----
e71	BossCares
-----	-----

Variable type: numeric (byte)
Value label: lbl_e71

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	381	-99	REF
	84	-98	DK
	3,658	1	Always
	1,384	2	Often
	1,195	3	SmTimes
	542	4	Seldom
	1,788	5	Never

Variable Name	Variable Label
e72	JobInspct

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	267	-99	REF
	429	-98	DK
	1,936	1	Yes
	6,400	2	No

Variable Name	Variable Label
e73_rev	TlkWInspctr

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6	-99	REF
	19	-98	DK
	7,096	-88	NA
	1,143	1	Yes

768 2 No

Variable Name	Variable Label
e74	Union

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	240	-99	REF
	176	-98	DK
	998	1	Yes
	7,618	2	No

Variable Name	Variable Label
e75	UnionPssbl

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]

Not applicable: -88 NA

Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	247	-99	REF
	231	-98	DK
	998	-88	NA
	674	1	Yes
	6,882	2	No

Variable Name	Variable Label
e76_rev	RgtsKnwldg

Variable type: numeric (byte)

Value label: lbl_e76

Range: [-99,5]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	167	-99	REF

90	-98	DK
810	1	ExtWell
3,352	2	VWell
2,492	3	SmwWell
1,236	4	NotWell
885	5	NotAtAll

Variable Name	Variable Label
e77	LabCmplnts

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	57	-99	REF
	115	-98	DK
	3,644	1	Yes
	5,216	2	No

Variable Name	Variable Label
e78_none	RptNone

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [-88,1] Not applicable: -88 NA
Unique values: 3 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5,388	-88	NA
	670	0	No
	2,974	1	Yes

Variable Name	Variable Label
e78_aln	RptAlone

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [-88,1] Not applicable: -88 NA
Unique values: 3 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5,388	-88	NA
	3,150	0	No
	494	1	Yes

Variable Name	Variable Label
e78_attr	RptAtt

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [-88,1] Not applicable: -88 NA
Unique values: 3 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5,388	-88	NA
	3,502	0	No
	142	1	Yes

Variable Name	Variable Label
e78_orgnz	RptOrgnz

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [-88,1] Not applicable: -88 NA
Unique values: 3 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5,388	-88	NA
	3,594	0	No
	50	1	Yes

Variable Name	Variable Label
f79	Gender

Variable type: numeric (byte)
Value label: lbl_f79

Range: [1,2]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

4,470 1 Woman
4,562 2 Man

Variable Name	Variable Label
---------------	----------------

f80	Education
-----	-----------

Variable type: numeric (byte)
Value label: lbl_f80

Range: [1,4]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	499	1	NoSchool
	3,074	2	Primary
	3,884	3	Secondary
	1,575	4	University

SOCIO-DEMOGRAPHIC AND FAMILY CHARACTERISTICS

Variable Name	Variable Label
---------------	----------------

f81_txt	CntryBrn
---------	----------

Variable type: string (str10)

Unique values: 17

Examples: "ElSalvador"
"Guatemala"
"Honduras"
"Nicaragua"

Variable Name	Variable Label
---------------	----------------

f82_m	TmInCntry(mo)
-------	---------------

Variable type: numeric (int)
Value label: lbl_f82_m

Range: [-99,1068]
Unique values: 94 Missing: -99 Refused / -98 Don't know

Examples: 300
408
504

Variable Name	Variable Label
f83_rev	Ethnicity

Variable type: numeric (byte)

Value label: lbl_f83_rev

Range: [-99,5]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	19	-99	REF
	782	-98	DK
	1,072	1	Indigenous
	4,772	2	Mestizo
	1,738	3	White
	357	4	Black
	292	5	Mulatto

Variable Name	Variable Label
f84	Marital

Variable type: numeric (byte)

Value label: lbl_f84

Range: [-99,5]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	4	-98	DK
	5,370	1	W/Partner
	2,877	2	Single
	345	3	Widowed
	197	4	Divorced
	234	5	Separated

Variable Name	Variable Label
f85_m	Hght(m)

Variable type: numeric (double)

Value label: lbl_f85_m

Range: [-99,2.2] units: .01
 Unique values: 85 Missing: -99 Refused / -98 Don't know

Examples: 1.5
 1.59
 1.65
 1.7

Variable Name	Variable Label
f86_kg	Wght(kg)

Variable type: numeric (int)
 Value label: lbl_f86_kg

Range: [-99,240]
 Unique values: 141 Missing: -99 Refused / -98 Don't know

Examples: 56
 65
 73
 82

Variable Name	Variable Label
f87	Income

Variable type: numeric (byte)
 Value label: lbl_f87

Range: [-99,5]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	355	-99	REF
	224	-98	DK
	2,500	1	<\$200
	1,899	2	\$201/300
	2,141	3	\$301/500
	1,412	4	\$501/1000
	501	5	>\$1000

Variable Name	Variable Label
f88	IncContr

Variable type: numeric (byte)

Value label: lbl_yesno12

Range: [-99,2]
Unique values: 4 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	1,126	-99	REF
	4	-98	DK
	4,406	1	Yes
	3,496	2	No

Variable Name	Variable Label
f89	HshldSize

Variable type: numeric (byte)
Value label: lbl_f89

Range: [-99,22]
Unique values: 23 Missing: -99 Refused / -98 Don't know

Examples: 3
 4
 4
 6

Variable Name	Variable Label
f90	Hshld<14

Variable type: numeric (byte)
Value label: lbl_f90

Range: [-99,11] Not applicable: -88 NA
Unique values: 15 Missing: -99 Refused / -98 Don't know

Examples: 1
 1
 1
 2

Variable Name	Variable Label
f91	Hshld<14Wrk

Variable type: numeric (byte)
Value label: lbl_f91

Range: [-99,4] Not applicable: -88 NA
Unique values: 8 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	102	-99	REF
	7	-98	DK
	516	-88	NA
	3,337	0	
	4,971	1	
	73	2	
	22	3	
	4	4	

Variable Name	Variable Label
f92a	CareMinor

Variable type: numeric (byte)
Value label: lbl_f92

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	105	-99	REF
	2	-98	DK
	4,060	0	Never
	551	1	LessFreq
	588	2	FewTimsMo.
	638	3	SevTimsWk
	3,088	4	Evrydy

Variable Name	Variable Label
f92b	CareElder

Variable type: numeric (byte)
Value label: lbl_f92

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	110	-99	REF
	4	-98	DK
	7,725	0	Never
	193	1	LessFreq

330	2	FewTimsMo.
189	3	SevTimsWk
481	4	Evrydy

Variable Name	Variable Label
f92c	HouseChores

Variable type: numeric (byte)
Value label: lbl_f92

Range: [-99,4]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	34	-99	REF
	3	-98	DK
	2,280	0	Never
	818	1	LessFreq
	974	2	FewTimsMo.
	1,218	3	SevTimsWk
	3,705	4	Evrydy

Variable Name	Variable Label
f93a	CareMinors

Variable type: numeric (byte)
Value label: lbl_f93

Range: [-99,24] Not applicable: -88 NA
Unique values: 27 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
 -88 NA
 2
 5

Variable Name	Variable Label
f93b	CareFmly

Variable type: numeric (byte)
Value label: lbl_f93

Range: [-99,24] Not applicable: -88 NA
Unique values: 22 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
 -88 NA
 -88 NA
 -88 NA

Variable Name	Variable Label
f93c	CareHshld

Variable type: numeric (double)
 Value label: lbl_f93

Range: [-99,24] Not applicable: -88 NA
 Unique values: 23 Missing: -99 Refused / -98 Don't know

Examples: -88 NA
 1
 2
 3

Variable Name	Variable Label
f94	DmstcWrk

Variable type: numeric (byte)
 Value label: lbl_f94

Range: [-99,5]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	14	-99	REF
	6	-98	DK
	2,062	1	None
	1,956	2	Occasion
	1,166	3	About25%
	1,114	4	About50%
	2,714	5	Most

Variable Name	Variable Label
f95a	TskscUndn

Variable type: numeric (byte)
 Value label: lbl_f95

Range: [-99,4]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	97	-99	REF
	11	-98	DK
	5,583	0	Never
	992	1	Seldom
	793	2	SmTimes
	372	3	Often
	1,184	4	Always

Variable Name	Variable Label
f95b	ThnkWrk&Hom

Variable type: numeric (byte)
 Value label: lbl_f95

Range: [-99,4]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	61	-99	REF
	7	-98	DK
	5,057	0	Never
	901	1	Seldom
	1,145	2	SmTimes
	605	3	Often
	1,256	4	Always

Variable Name	Variable Label
f95c	NeedtWrk&Hom

Variable type: numeric (byte)
 Value label: lbl_f95

Range: [-99,4]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	78	-99	REF
	7	-98	DK
	4,317	0	Never
	991	1	Seldom
	1,705	2	SmTimes
	736	3	Often

1,198 4 Always

MODULE: KIDNEY DISEASE RISK FACTORS

Variable Name	Variable Label
g96	HighTemp

Variable type: numeric (byte)
Value label: lbl_g96

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	13	-99	REF
	13	-98	DK
	1,778	1	Freqntly
	2,038	2	SmTimes
	2,048	3	Rarely
	3,142	4	Never

Variable Name	Variable Label
g97	GrlTemp

Variable type: numeric (byte)
Value label: lbl_g97

Range: [-99,7]
Unique values: 9 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	18	-98	DK
	115	1	VCol
	311	2	Cold
	469	3	BitCold
	4,750	4	Normal
	1,534	5	BitHot
	1,439	6	Hot
	380	7	VHot

Variable Name	Variable Label
g98	DrinkWtr

Variable type: numeric (byte)
Value label: lbl_g98

Range: [-99,6]
Unique values: 8 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6	-99	REF
	36	-98	DK
	3,366	1	Evry30min
	2,019	2	EvrthHr
	1,086	3	Evry1.5Hr
	1,259	4	Evry2Hrs
	887	5	Evry4Hrs
	373	6	DontDrink

Variable Name	Variable Label
g99	Humidity

Variable type: numeric (byte)
Value label: lbl_g99

Range: [-99,4]
Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	73	-98	DK
	3,770	1	Dry
	3,894	2	Pleasant
	989	3	LtlHmid
	290	4	VryHmid

Variable Name	Variable Label
g100	Sweat

Variable type: numeric (byte)
Value label: lbl_g100

Range: [-99,3]
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	20	-99	REF
	25	-98	DK
	3,809	1	NoSweat

3,534	2	SmSweat
1,644	3	MuchSweat

Variable Name	Variable Label
---------------	----------------

g101	HeatBthrs
------	-----------

Variable type: numeric (byte)
Value label: lbl_g101

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	19	-99	REF
	7	-98	DK
	3,184	1	NoBthr
	3,155	2	BthrsLtl
	1,284	3	Annoys
	1,220	4	AnnoysLot
	163	5	AffectsWrk

Variable Name	Variable Label
---------------	----------------

g102	PhyEfirt
------	----------

Variable type: numeric (byte)
Value label: lbl_g102

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	14	-99	REF
	28	-98	DK
	823	1	VEasy
	4,374	2	Easy
	3,059	3	Strong
	553	4	VStrong
	181	5	SoStrong

Variable Name	Variable Label
---------------	----------------

g103	HrsEfirt
------	----------

Variable type: numeric (byte)
Value label: lbl_g103

Range: [-99,24]
Unique values: 24 Missing: -99 Refused / -98 Don't know

Examples: 1
 3
 5
 8

Variable Name	Variable Label
g104	Thirsty

Variable type: numeric (byte)
Value label: lbl_g104

Range: [-99,3]
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5	-99	REF
	12	-98	DK
	1,120	1	NotThrsty
	5,149	2	LtlThrsty
	2,746	3	VryThrsty

Variable Name	Variable Label
g105_1	Water

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	736	0	No
	8,296	1	Yes

Variable Name	Variable Label
g105_2	Juices

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	5,535	0	No
	3,497	1	Yes

Variable Name	Variable Label
g105_3	PackDrnk

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7,998	0	No
	1,034	1	Yes

Variable Name	Variable Label
g105_4	Sodas

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6,154	0	No
	2,878	1	Yes

Variable Name	Variable Label
g105_5	Coffee

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	6,229	0	No

2,803 1 Yes

Variable Name	Variable Label
g105_6	Hydrat

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,654	0	No
	378	1	Yes

Variable Name	Variable Label
g105_7	Energy

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,873	0	No
	159	1	Yes

Variable Name	Variable Label
g105_8	Alcohol

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,760	0	No
	272	1	Yes

Variable Name	Variable Label
g106	PainKill

```

-----
Variable type: numeric (byte)
Value label: lbl_g106

          Range: [-99,64]
Unique values: 36          Missing: -99 Refused / -98 Don't know

Examples: 0
           0
           0
           2

```

Variable Name	Variable Label
g107_1	None

```

Variable type: numeric (byte)
Value label: lbl_noyes01

          Range: [0,1]
Unique values: 2          Missing: -99 Refused / -98 Don't know

Tabulation: Freq.   Numeric   Label
              8,311         0    No
              721          1    Yes

```

Variable Name	Variable Label
g107_2	Aspirin

```

Variable type: numeric (byte)
Value label: lbl_noyes01

          Range: [0,1]
Unique values: 2          Missing: -99 Refused / -98 Don't know

Tabulation: Freq.   Numeric   Label
              7,157         0    No
              1,875         1    Yes

```

Variable Name	Variable Label
g107_3	Acetaminophen

```

Variable type: numeric (byte)
Value label: lbl_noyes01

```

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	7,971	0	No
	1,061	1	Yes

Variable Name	Variable Label
g107_4	Ibuprofen

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,931	0	No
	101	1	Yes

Variable Name	Variable Label
g107_5	Naproxen

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,996	0	No
	36	1	Yes

Variable Name	Variable Label
g107_6	Ketoprofen

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
-------------	-------	---------	-------

8,982	0	No
50	1	Yes

Variable Name	Variable Label
---------------	----------------

g107_7	Sulindac
--------	----------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,522	0	No
	510	1	Yes

Variable Name	Variable Label
---------------	----------------

g107_8	Indomethacin
--------	--------------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,983	0	No
	49	1	Yes

Variable Name	Variable Label
---------------	----------------

g107_9	Antibiotics
--------	-------------

Variable type: numeric (byte)
Value label: lbl_noyes01

Range: [0,1]
Unique values: 2 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,920	0	No
	112	1	Yes

Variable Name	Variable Label
---------------	----------------

g107_10

Diuretics

Variable type: numeric (byte)

Value label: lbl_noyes01

Range: [0,1]

Unique values: 2

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	8,986	0	No
	46	1	Yes

Variable Name

Variable Label

g107_11

Opioids

Variable type: numeric (byte)

Value label: lbl_noyes01

Range: [0,1]

Unique values: 2

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	9,019	0	No
	13	1	Yes

Variable Name

Variable Label

g107_txt

OtherMeds

Variable type: string (str23)

Unique values: 143

Examples: ".NA"
".NA"
"DEXKETOPROFENO"
"DEXKETOPROFENO"

Variable Name

Variable Label

g108a

Venom

Variable type: numeric (byte)

Value label: lbl_g108

Range: [-99,4]
 Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	12	-99	REF
	5	-98	DK
	7,643	1	Never
	944	2	Seldom
	288	3	Rglrly
	140	4	Frqntly

Variable Name	Variable Label
g108b	Weed

Variable type: numeric (byte)
 Value label: lbl_g108

Range: [-99,4]
 Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	14	-99	REF
	3	-98	DK
	7,838	1	Never
	679	2	Seldom
	342	3	Rglrly
	156	4	Frqntly

Variable Name	Variable Label
g108c	Fungus

Variable type: numeric (byte)
 Value label: lbl_g108

Range: [-99,4]
 Unique values: 6 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	4	-98	DK
	7,914	1	Never
	609	2	Seldom
	291	3	Rglrly
	198	4	Frqntly

Variable Name	Variable Label
g108d	Frtlzs

Variable type: numeric (byte)

Value label: lbl_g108

Range: [-99,4]

Unique values: 6

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	16	-99	REF
	4	-98	DK
	7,662	1	Never
	673	2	Seldom
	378	3	Rglrly
	299	4	Frqntly

MODULE: WORK-RELATED VIOLENCE

Safety

Variable Name	Variable Label
h109a	Unsf_Home

Variable type: numeric (byte)

Value label: lbl_WRV1

Range: [-99,5]

Unique values: 7

Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	157	-99	REF
	12	-98	DK
	619	1	Daily
	388	2	OnceMo.
	638	3	FewTmsMo.
	230	4	Once
	6,988	5	Never

Variable Name	Variable Label
h109b	Unsf_Work

Variable type: numeric (byte)

Value label: lbl_WRV1

Range: [-99,5]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	156	-99	REF
	22	-98	DK
	742	1	Daily
	414	2	OnceMo.
	976	3	FewTmsMo.
	322	4	Once
	6,400	5	Never

Variable Name	Variable Label
h109c	Unsf_Route

Variable type: numeric (byte)
 Value label: lbl_WRV1

Range: [-99,5]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	169	-99	REF
	36	-98	DK
	904	1	Daily
	388	2	OnceMo.
	1,073	3	FewTmsMo.
	353	4	Once
	6,109	5	Never

Variable Name	Variable Label
h109d	Unsf_Neigh

Variable type: numeric (byte)
 Value label: lbl_WRV1

Range: [-99,5]
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	163	-99	REF
	21	-98	DK
	786	1	Daily
	447	2	OnceMo.
	1,034	3	FewTmsMo.

349	4	Once
6,232	5	Never

Type of event	
---------------	--

Variable Name	Variable Label
---------------	----------------

h110a	WRV_Verbal
-------	------------

Variable type: numeric (byte)

Value label: lbl_WRV1

Range: [-99,5]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	297	-99	REF
	28	-98	DK
	154	1	Daily
	256	2	OnceMo.
	414	3	FewTmsMo.
	293	4	Once
	7,590	5	Never

Variable Name	Variable Label
---------------	----------------

h110b	WRV_Threats
-------	-------------

Variable type: numeric (byte)

Value label: lbl_WRV1

Range: [-99,5]

Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	298	-99	REF
	26	-98	DK
	84	1	Daily
	154	2	OnceMo.
	255	3	FewTmsMo.
	176	4	Once
	8,039	5	Never

Variable Name	Variable Label
---------------	----------------

h110c	WRV_Behav
-------	-----------

Variable type: numeric (byte)
Value label: lbl_WRV1

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	294	-99	REF
	34	-98	DK
	69	1	Daily
	92	2	OnceMo.
	184	3	FewTmsMo.
	218	4	Once
	8,141	5	Never

Variable Name	Variable Label
h111a	WRV_SexWrd

Variable type: numeric (byte)
Value label: lbl_WRV1

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	292	-99	REF
	28	-98	DK
	102	1	Daily
	178	2	OnceMo.
	279	3	FewTmsMo.
	178	4	Once
	7,975	5	Never

Variable Name	Variable Label
h111b	WRV_SexTouch

Variable type: numeric (byte)
Value label: lbl_WRV1

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	300	-99	REF
	34	-98	DK
	39	1	Daily

94	2	OnceMo.
135	3	FewTmsMo.
144	4	Once
8,286	5	Never

Variable Name	Variable Label
h111c	WRV_SexActs

Variable type: numeric (byte)
Value label: lbl_WRV1

Range: [-99,5]
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	298	-99	REF
	14	-98	DK
	34	1	Daily
	117	2	OnceMo.
	112	3	FewTmsMo.
	106	4	Once
	8,351	5	Never

Experienced/witnessed	
-----------------------	--

Variable Name	Variable Label
h112a	WRV_Exp

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	298	-99	REF
	34	-98	DK
	7,264	-88	NA
	87	1	Always
	254	2	Smtimes
	284	3	OnceTwice
	811	4	Never

Variable Name	Variable Label
h112b	WRV_Wit

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	294	-99	REF
	25	-98	DK
	7,263	-88	NA
	120	1	Always
	348	2	Smtimes
	266	3	OnceTwice
	716	4	Never

Variable Name	Variable Label
h113a	WRV_Age

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	304	-99	REF
	46	-98	DK
	7,263	-88	NA
	87	1	Always
	240	2	Smtimes
	192	3	OnceTwice
	900	4	Never

Variable Name	Variable Label
h113b	WRV_Race

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	300	-99	REF
	44	-98	DK
	7,263	-88	NA

68	1	Always
251	2	Smtimes
167	3	OnceTwice
939	4	Never

Variable Name	Variable Label
h113c	WRV_Gndr

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	304	-99	REF
	41	-98	DK
	7,263	-88	NA
	77	1	Always
	232	2	Smtimes
	200	3	OnceTwice
	915	4	Never

Variable Name	Variable Label
h113d	WRV_SxOr

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	304	-99	REF
	51	-98	DK
	7,263	-88	NA
	49	1	Always
	192	2	Smtimes
	154	3	OnceTwice
	1,019	4	Never

Variable Name	Variable Label
h113e	WRV_Blfs

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	300	-99	REF
	33	-98	DK
	7,263	-88	NA
	63	1	Always
	201	2	Smtimes
	176	3	OnceTwice
	996	4	Never

Variable Name	Variable Label
h113f	WRV_Polit

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	297	-99	REF
	37	-98	DK
	7,263	-88	NA
	109	1	Always
	246	2	Smtimes
	124	3	OnceTwice
	956	4	Never

Variable Name	Variable Label
h113g	WRV_TmpImpr

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	297	-99	REF
	34	-98	DK
	7,263	-88	NA

59	1	Always
197	2	Smtimes
161	3	OnceTwice
1,021	4	Never

Variable Name	Variable Label
h113h	WRV_Class

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	302	-99	REF
	51	-98	DK
	7,263	-88	NA
	86	1	Always
	231	2	Smtimes
	178	3	OnceTwice
	921	4	Never

Variable Name	Variable Label
h113i	WRV_Pregnant

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	316	-99	REF
	48	-98	DK
	7,294	-88	NA
	47	1	Always
	113	2	Smtimes
	109	3	OnceTwice
	1,105	4	Never

Variable Name	Variable Label
h113j	WRV_WrkCond

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	299	-99	REF
	42	-98	DK
	7,263	-88	NA
	95	1	Always
	317	2	Smtimes
	167	3	OnceTwice
	849	4	Never

Variable Name	Variable Label
-----	-----
h113k	WRV_Complaint
-----	-----

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	302	-99	REF
	53	-98	DK
	7,263	-88	NA
	51	1	Always
	192	2	Smtimes
	192	3	OnceTwice
	979	4	Never

LOCATION/PLACE OF EVENT	
-------------------------	--

Variable Name	Variable Label
-----	-----
h114a	WRV_Route
-----	-----

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	298	-99	REF

42	-98	DK
7,263	-88	NA
67	1	Always
249	2	Smtimes
216	3	OnceTwice
897	4	Never

Variable Name	Variable Label
---------------	----------------

h114b	WRV_Usual
-------	-----------

Variable type: numeric (byte)

Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	302	-99	REF
	45	-98	DK
	7,263	-88	NA
	114	1	Always
	310	2	Smtimes
	239	3	OnceTwice
	759	4	Never

Variable Name	Variable Label
---------------	----------------

h114c	WRV_NotUs1
-------	------------

Variable type: numeric (byte)

Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	299	-99	REF
	42	-98	DK
	7,263	-88	NA
	69	1	Always
	257	2	Smtimes
	225	3	OnceTwice
	877	4	Never

TYPE OF RELATIONSHIP WITH PERPRETRATOR	
--	--

Variable Name **Variable Label**

h115a WRV_Superior

Variable type: numeric (byte)

Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	304	-99	REF
	37	-98	DK
	7,263	-88	NA
	139	1	Always
	255	2	Smtimes
	165	3	OnceTwice
	869	4	Never

Variable Name **Variable Label**

h115b WRV_Colleague

Variable type: numeric (byte)

Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	304	-99	REF
	49	-98	DK
	7,263	-88	NA
	86	1	Always
	237	2	Smtimes
	219	3	OnceTwice
	874	4	Never

Variable Name **Variable Label**

h115c WRV_User

Variable type: numeric (byte)

Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	296	-99	REF
	34	-98	DK
	7,263	-88	NA
	98	1	Always
	290	2	Smtimes
	224	3	OnceTwice
	827	4	Never

Variable Name	Variable Label
h115d	WRV_NtJobRltd

Variable type: numeric (byte)
 Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	298	-99	REF
	38	-98	DK
	7,263	-88	NA
	116	1	Always
	261	2	Smtimes
	182	3	OnceTwice
	874	4	Never

CONSEQUENCES OF EVENT	
-----------------------	--

Variable Name	Variable Label
h116a	WRV_MntlHlt

Variable type: numeric (byte)
 Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
 Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	295	-99	REF
	50	-98	DK
	7,263	-88	NA

78	1	Always
266	2	Smtimes
166	3	OnceTwice
914	4	Never

Variable Name	Variable Label
h116b	WRV_LfStle

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	295	-99	REF
	37	-98	DK
	7,263	-88	NA
	90	1	Always
	215	2	Smtimes
	142	3	OnceTwice
	990	4	Never

Variable Name	Variable Label
h116c	WRV_PhyHlth

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	291	-99	REF
	34	-98	DK
	7,263	-88	NA
	92	1	Always
	166	2	Smtimes
	150	3	OnceTwice
	1,036	4	Never

Variable Name	Variable Label
h117	WRV_PermImpr

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	283	-99	REF
	42	-98	DK
	8,299	-88	NA
	125	1	Yes
	283	2	No

Variable Name	Variable Label
h118a	WRV_PayStp

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	285	-99	REF
	53	-98	DK
	7,263	-88	NA
	84	1	Always
	221	2	Smtimes
	137	3	OnceTwice
	989	4	Never

Variable Name	Variable Label
h118b	WRV_PayCut

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	285	-99	REF
	48	-98	DK
	7,263	-88	NA
	66	1	Always
	178	2	Smtimes

156	3	OnceTwice
1,036	4	Never

Variable Name	Variable Label
---------------	----------------

h118c	WRV_Dmtion
-------	------------

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	283	-99	REF
	30	-98	DK
	7,263	-88	NA
	72	1	Always
	200	2	Smtimes
	154	3	OnceTwice
	1,030	4	Never

Variable Name	Variable Label
---------------	----------------

h118d	WRV_UnbltyWrk
-------	---------------

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4]	Not applicable: -88 NA
Unique values: 7	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	284	-99	REF
	51	-98	DK
	7,263	-88	NA
	64	1	Always
	196	2	Smtimes
	158	3	OnceTwice
	1,016	4	Never

Variable Name	Variable Label
---------------	----------------

h118e	WRV_Fired
-------	-----------

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	286	-99	REF
	46	-98	DK
	7,264	-88	NA
	57	1	Always
	167	2	Smtimes
	182	3	OnceTwice
	1,030	4	Never

Variable Name	Variable Label
-----	-----
h118f	WRV_JobChnge
-----	-----

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	281	-99	REF
	35	-98	DK
	7,264	-88	NA
	73	1	Always
	230	2	Smtimes
	149	3	OnceTwice
	1,000	4	Never

Variable Name	Variable Label
-----	-----
h118g	WRV_LostTime
-----	-----

Variable type: numeric (byte)
Value label: lbl_WRV2

Range: [-99,4] Not applicable: -88 NA
Unique values: 7 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	285	-99	REF
	48	-98	DK
	7,263	-88	NA
	48	1	Always
	182	2	Smtimes

153	3	OnceTwice
1,053	4	Never

Variable Name	Variable Label
---------------	----------------

h119_hrs	WRV_LostHours
----------	---------------

Variable type: numeric (byte)
Value label: lbl_WRV_LostHrs

Range: [-99,24]	Not applicable: -88 NA
Unique values: 19	Missing: -99 Refused / -98 Don't know

Examples: -88 NA
-88 NA
-88 NA
-88 NA

Variable Name	Variable Label
---------------	----------------

h119_days	WRV_LostDays
-----------	--------------

Variable type: numeric (int)
Value label: lbl_WRV_LostDys

Range: [-99,360]	Not applicable: -88 NA
Unique values: 15	Missing: -99 Refused / -98 Don't know

Examples: -88 NA
-88 NA
-88 NA
-88 NA

REPORT OF EVENT	
-----------------	--

Variable Name	Variable Label
---------------	----------------

h120a	WRV_AtWork
-------	------------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	298	-99	REF

44	-98	DK
7,263	-88	NA
390	1	Yes
1,037	2	No

Variable Name	Variable Label
---------------	----------------

h120b	WRV_Prof
-------	----------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	292	-99	REF
	63	-98	DK
	7,263	-88	NA
	254	1	Yes
	1,160	2	No

Variable Name	Variable Label
---------------	----------------

h120c	WRV_Hshld
-------	-----------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
Unique values: 5	Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	290	-99	REF
	61	-98	DK
	7,263	-88	NA
	483	1	Yes
	935	2	No

Variable Name	Variable Label
---------------	----------------

h120d	WRV_RlgLdr
-------	------------

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2]	Not applicable: -88 NA
----------------	------------------------

Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	292	-99	REF
	71	-98	DK
	7,263	-88	NA
	207	1	Yes
	1,199	2	No

Variable Name	Variable Label
h120e	WRV_Other

Variable type: numeric (byte)
Value label: lbl_yesno12

Range: [-99,2] Not applicable: -88 NA
Unique values: 5 Missing: -99 Refused / -98 Don't know

Tabulation:	Freq.	Numeric	Label
	292	-99	REF
	62	-98	DK
	7,263	-88	NA
	356	1	Yes
	1,059	2	No